

# Job Manager and Marketing Data Hub

Administration Manual

Version 7.0

EN

21 September 2021

100600000001

# Table of Contents

|         |   |    |
|---------|---|----|
| 1       | Useful information for getting started .....        | 6  |
| 1.1     | Display, technical, and unique name .....           | 9  |
| 1.2     | Data sheets .....                                   | 11 |
| 1.2.1   | Change history .....                                | 12 |
| 1.3     | Inheritance for sub jobs and sub data objects ..... | 13 |
| 1.4     | Localization .....                                  | 14 |
| 1.4.1   | Configuring localization .....                      | 14 |
| 1.4.2   | Locales .....                                       | 15 |
| 1.4.2.1 | Configuring or Changing the Locale .....            | 16 |
| 1.4.2.2 | Deleting a Locale .....                             | 17 |
| 1.5     | Synchronization .....                               | 17 |
| 2       | Required work steps.....                            | 18 |
| 2.1     | Jobs and Data Objects .....                         | 18 |
| 2.2     | Processes .....                                     | 19 |
| 2.3     | Types .....   | 20 |
| 2.3.1   | Properties .....                                    | 21 |
| 2.3.2   | Managing Types.....                                 | 24 |
| 2.3.2.1 | Creating a type .....                               | 24 |
| 2.3.2.2 | Editing types .....                                 | 25 |
| 2.3.2.3 | Copying types .....                                 | 26 |
| 2.3.2.4 | Migrating a job .....                               | 26 |
| 2.3.2.5 | Deleting types.....                                 | 26 |
| 2.3.3   | Adding a sub-job or sub data object .....           | 27 |
| 2.4     | Assigning a workflow.....                           | 28 |
| 2.5     | Managing a data sheet layout .....                  | 30 |
| 2.5.1   | Visibility of a data sheet tab .....                | 33 |
| 2.6     | Managing Variables .....                            | 34 |
| 2.6.1   | Grouping variables .....                            | 34 |
| 2.7     | Visibility of variables.....                        | 35 |
| 2.8     | Workflow messages .....                             | 36 |
| 2.9     | Type categories .....                               | 38 |
| 2.9.1   | Creating a type category .....                      | 38 |
| 2.10    | Configuring the object ID .....                     | 39 |

|        |   |    |
|--------|---|----|
| 2.10.1 | Editing the format of the object ID ..... | 40 |
| 2.11   | Default types .....                       | 41 |
| 2.12   | Settings .....                            | 41 |
| 2.13   | Task Templates .....                      | 43 |
| 2.13.1 | Creating a task template .....            | 43 |
| 2.14   | Publishing changes .....                  | 45 |
| 2.14.1 | Publishing changes immediately .....      | 46 |
| 2.14.2 | Scheduling a publication .....            | 47 |
| 2.14.3 | Changing a scheduled publication .....    | 48 |
| 2.14.4 | Canceling a scheduled publication .....   | 49 |
| 2.14.5 | Discarding changes .....                  | 50 |
| 3      | BPMN workflow .....                       | 52 |
| 3.1    | Layout of the Editor .....                | 53 |
| 3.1.1  | Workflow Modeler .....                    | 54 |
| 3.1.2  | Editor for e-mail templates .....         | 55 |
| 3.2    | Available elements .....                  | 56 |
| 3.2.1  | Start event .....                         | 56 |
| 3.2.2  | End event .....                           | 56 |
| 3.2.3  | User task .....                           | 57 |
| 3.2.4  | Sending tasks .....                       | 60 |
| 3.2.5  | Service tasks .....                       | 60 |
| 3.2.6  | Event Throw Message .....                 | 61 |
| 3.2.7  | Event Catch Message .....                 | 61 |
| 3.2.8  | Sub-Actions .....                         | 61 |
| 3.2.9  | Gateways .....                            | 62 |
| 3.2.10 | Sequence flow .....                       | 63 |
| 3.2.11 | Comments .....                            | 63 |
| 3.3    | Creating a BPMN workflow .....            | 64 |
| 3.3.1  | Adding elements .....                     | 64 |
| 3.3.2  | Connecting elements .....                 | 65 |
| 3.3.3  | Positioning elements .....                | 66 |
| 3.3.4  | Editing elements .....                    | 68 |
| 3.3.5  | Deleting elements .....                   | 69 |
| 3.4    | E-Mail templates .....                    | 70 |

|          |   |     |
|----------|---|-----|
| 3.4.1    | Creating an e-mail template.....                  | 70  |
| 3.4.2    | Editing an e-mail template .....                  | 70  |
| 3.4.3    | Deleting a German e-mail template.....            | 70  |
| 3.5      | Establishing conditions.....                      | 71  |
| 3.5.1    | Exclusive gateway: Using a number .....           | 71  |
| 3.5.2    | Exclusive gateway: Using a custom structure ..... | 72  |
| 3.5.3    | Inclusive gateway: Using a custom structure.....  | 73  |
| 3.6      | Simplified view .....                             | 74  |
| 3.7      | Setting up visibility and editability .....       | 75  |
| 3.8      | Monitoring.....                                   | 75  |
| 4        | Available variables.....                          | 77  |
| 4.1      | Custom variables .....                            | 77  |
| 4.1.1    | Action .....                                      | 77  |
| 4.1.2    | User .....  | 78  |
| 4.1.3    | Description text .....                            | 79  |
| 4.1.4    | Datepicker with/without time.....                 | 80  |
| 4.1.5    | Document Selector .....                           | 82  |
| 4.1.6    | Single-select and multi-select.....               | 84  |
| 4.1.7    | Single line and Multiline input area .....        | 87  |
| 4.1.8    | Enter multiple values.....                        | 90  |
| 4.1.9    | Combobox .....                                    | 92  |
| 4.1.10   | Link .....  | 94  |
| 4.1.11   | Asset Selector .....                              | 95  |
| 4.1.12   | Advanced Grid .....                               | 97  |
| 4.1.13   | Comfort Grid.....                                 | 100 |
| 4.1.13.1 | Data Types .....                                  | 100 |
| 4.1.13.2 | Summary row .....                                 | 100 |
| 4.1.13.3 | Formula variables .....                           | 101 |
| 4.1.13.4 | Grid Parameters .....                             | 105 |
| 4.1.13.5 | Grid Variables .....                              | 106 |
| 4.1.14   | Heading.....                                      | 109 |
| 4.1.15   | Reference/Relation .....                          | 110 |
| 4.1.16   | BTB Template .....                                | 112 |
| 4.1.17   | Numbers.....                                      | 114 |

- 4.2 System variables ..... 116
  - 4.2.1 Task Manager ..... 118

## Copyright

Specifications and data contained in this document are subject to change without prior notice. The names and data used in the examples are fictitious unless stated otherwise. No part of this document may be reproduced or made available for any purpose and in any way by whatever means, be it electronically or mechanically, without the express written permission of BrandMaker GmbH.

© BrandMaker GmbH. All rights reserved.

Rüppurrer Straße 1, 76137 Karlsruhe (Germany), [www.brandmaker.com](http://www.brandmaker.com)

All brands mentioned are the sole property of their respective owners.

### **Your feedback is important to us!**

We would be grateful to be notified of any errors you may discover. Just send us an e-mail to [documentation@brandmaker.com](mailto:documentation@brandmaker.com).

# 1 Useful information for getting started

This provides you with tips and information that will help you to efficiently carry out tasks related to the Job Manager or Marketing Data Hub. The manual is aimed towards specialist administrators and provides a full overview of the configuration and functions of the Job Manager and Marketing Data Hub.

## Jobs, processes and data objects

Jobs and processes are managed in the *Job Manager* module. Jobs are combined with a classic workflow, processes with a BPMN workflow. Jobs and processes represent standardized workflows in your company.

In the *Marketing Data Hub* module, users manage data objects, which are always combined with a classic workflow. In data objects, a standardized workflow captures data that can be used, for example, as a data source for other modules.

## Classic workflows and tasks

One or more classic *workflows* are assigned to each job and each data object. A classic workflow consists of several *workflow steps*. The administrator assigns a user group to each workflow step when creating the classic workflow. The user selects a responsible person from the user group when forwarding the item to the next workflow step. In addition, *tasks* can be added to each workflow step so that typical activities are created automatically when the job is created.

## BPMN workflows

A process is always combined with a BPMN workflow and the workflow is represented in BPMN notation.

## Task Templates

Tasks that are used frequently can be saved as task templates and used again. To use a task template with a workflow, the number of workflow steps must match the number of task steps created in the task template.

## Custom objects and structures

You can use custom objects and structures to create boilerplate texts, for example, that you can use to edit a document in *Brand Template Builder* module. In addition, the values for a dropdown list can be loaded from a custom structure.

## Variables

Different variable types are used to allow you to group together and output data and information. The variables are placed on a data sheet using drag and drop. There are two different types of variables:

- Variables created automatically that allow you to use the basic functions, for example, for displaying the creator or the current workflow step.

- Variables that can be created individually (text fields, selection fields, or an asset selector, for example) can be created and configured as required.

### Categories

To arrange the types, you can create categories and assign the types to one or more categories. When users create a new job or data object, they choose the required types from the overview, which is sorted by category.

### Jobs/processes and sub-jobs/processes

A *job* or process groups together all of the information required to carry out a task (for example, the creation of a new campaign). Additional required tasks can be mapped as *sub-jobs* or sub-processes. A sub-job or sub-process can use a different workflow that is independent of the job. Sub-jobs and or sub-processes allow you to structure workflows and make dependencies between different workflows recognizable.

#### Note

It is possible to create a synchronization between jobs or processes of a certain type and corresponding planning elements in Marketing Planner. This synchronization is set up by BrandMaker. If you have any questions, please contact your BrandMaker contact person.

### Products and sub data objects

A *data object* groups together all of the information related to a data object. If the data object consists of multiple parts, they can be represented through *sub data objects*. A sub data object can use a different workflow that is independent of the data object. Sub-data objects allow you to copy the data object structure precisely.

### User

The access to and visibility of tabs and the field functions (variables) placed on them can be restricted when you configure the type for each workflow step. For this, users are divided up according to *Assignee/Processor*, *Creator*, *Other participants* and *Anonymous*. The user role to which you belong determines the datasheet tabs and variables that you can view or edit.

| User                      | Description  |
|---------------------------|--|
| <i>Assignee/Processor</i> | You are the (current) assignee/processor of a job, process, or data object if you are responsible for the current workflow step.                       |
| <i>Creator</i>            | You are the creator (owner) of a job, process, or data object if you have created the job or data object. The creator can be changed at a later stage. |



| User               | Description   |
|--------------------|---|
| <i>Participant</i> | You are a participant if you were once the processor of the job or if you are invited to be a participant in the job. As a participant, you are not responsible for the current workflow step, but you can follow the progress of the, job, process, or data object. Participants can be added to a discussion. |
| <i>Anonymous</i>   | Anonymous users are any users who are not the creator, assignee/processor, or participant, but who can still access a job, process, or data object. In general, anonymous users only have read access to variables.   |

## 1.1 Display, technical, and unique name

Each type and each custom variable has three different names:

- *Name displayed*
- *Technical Name*
- *Unique Name*

| Property            | Display Name  | Technical Name   | Unique Name                           |
|---------------------|---|--|---------------------------------------|
| <i>Usage</i>        | The display name is the name that is used to show the type or variable on the interface and that is used for the inheritance. You can create the display name in various languages. | The technical name is used to operate objects via interfaces of external systems (for example, via SOAP).<br><br>The technical name is also used for grouping variables. | —                                     |
| <i>Input</i>        | You enter the display name when you create a type or variable.  | The technical name and unique name are derived and created from the displayed name when you create a type or custom variable.  |                                       |
| <i>Change</i>       | The display name can be changed and edited in any way.  | The technical name can be changed.   | The technical name cannot be changed. |
| <i>Restrictions</i> | There are no restrictions for the display name. However, long names may not be displayed in full under certain circumstances.   | The characters [a-z], [0-9], and [_] are used for the name.  |                                       |

| Property          | Display Name   | Technical Name  | Unique Name   |
|-------------------|--|---|---|
| <i>Derivation</i> | —  | <ul style="list-style-type: none"> <li>• If the display name begins with a number, the name "type_" is prefixed to the technical name.</li> <li>• Space characters are replaced with an underscore "_".</li> <li>• Umlauts and special characters are removed.</li> <li>• Uppercase letters are replaced by lowercase letters.</li> <li>• Restricted to a maximum of 255 characters.</li> </ul> | <ul style="list-style-type: none"> <li>• Like technical name; additionally restricted to a maximum of 24 characters.</li> </ul> |
| <i>Uniqueness</i> | The display name can be used multiple times for each type. | The technical name and unique name must be unique for each type. If multiple variables of the same type with the same display name are entered, consecutive numbering is added during the derivation (for example, price_1, price_2).   |   |


## 1.2 Data sheets

All of the information about a job or data object is collected and mapped on a *data sheet*. You can group together the different variables clearly on various tabs and place them easily using drag and drop.

Among others, the following information is displayed on the data sheet:

- The users who are involved/participating in the job or data object
- The current state (the current workflow step)
- The creator and the current assignee
- The predefined project workflow for the job or data object, including any tasks that have been defined
- The relevant information for the job or data object

**Note:** The appearance of the data sheet can be defined to suit the purposes of individual customers. Among others, the appearance is determined by the number of tabs created, their names, and the field functions that are used on them. The *Basic Data* and *Comments* tab are created automatically; they can be renamed but *cannot* be removed. You can hide the *Comments* tab.




## 1.2.1 Change history

You can use the change history to track when an object is processed or edited. The recording of the time required is also entered.

In the upper area of the open data sheet, choose *Menu > Show change history* to open the change history in a new dialog box. The following information is displayed in a table overview:

- *Change ID*: Consecutive numbering of the changes (only with Job Manager)
- *Timestamp*: The time at which the change was made
- *User*: The name of the user who added or edited a comment or discussion
- *Type*: The type of editing or change (for example, the addition of a new comment)
- *Locale*: This column is not relevant in Job Manager.
- *Old value*: The original value of the edited variable
- *New value*: The new value of the edited variable
- *Variable name*: The name of the variable or discussion that was edited. Select the line to display the new and old value in the lower area of the dialog window.

Click *Export log* to export the change history as an XLSX file.




The screenshot shows a dialog box titled 'History' with a navigation bar at the top containing 'Basic Data', 'Attachments', 'Comments', 'Participants', 'Workflow', 'History', and 'Sub Jobs'. The main area contains a table with the following columns: CHANGE ID, TIMESTAMP, USER, TYPE, LOCALE, OLD VALUE, NEW VALUE, and VARIABLE NAME. The table lists three change records. Below the table, there are two input fields labeled 'OLD VALUE' and 'NEW VALUE'. At the bottom left, there is a button labeled 'EXPORT LOG'.

| CHANGE ID                      | TIMESTAMP      | USER        | TYPE  | LOCALE | OLD VALUE  | NEW VALUE  | VARIABLE NAME  |
|--------------------------------|----------------|-------------|---|--------|------------|------------|----------------|
| Change ID: 7: 12/07/2018 10:26 | 12/07/2018 ... | Admin, John | changed Task "Admin, John" in the Job "New Product X" |        |            |            | Comments: null |
| 7                              |                |             | Added com...  |        |            |            |                |
| Change ID: 6: 12/07/2018 10:26 | 12/07/2018 ... | Admin, John | changed Task "Admin, John" in the Job "New Product X" |        | John Admin | John Admin |                |
| 6                              |                |             | Job approve...  |        |            |            |                |
| Change ID: 4: 12/07/2018 10:26 | 12/07/2018 ... | Admin, John | changed Task "Admin, John" in the Job "New Product X" |        |            |            |                |
| 4                              |                |             |   |        |            |            |                |


### 1.3 Inheritance for sub jobs and sub data objects



Sub-jobs and sub data objects can inherit values from a parent job or data object. If the values in the parent job or data object change (for example, a deadline), the value is also updated in the sub-job or sub data object. In the sub-type, you can configure the following options using the *Inheritance* selection box:



**Note:** Note that the inheritance can be created only when you create a new sub-job type or sub data object type. The *Inheritance* field cannot be changed at a later stage!

- *No inheritance*: In this case, variables of the sub-type do not inherit a value from a parent job or data object.
- *Single parent*: The variables can inherit; however, only one single type is permitted as the parent type. Define the parent types from which the inheritance is carried out for the sub-job or sub data object. In this case, you are given the option of specifying the parent type variable that must be inherited directly when creating the variables (see screen shot). If you use a large number of inherited variables, the consistent application of this method provides you with significant performance benefits.



- *Multiple parents*: Select this option if the parent types from which a sub-type inherits cannot be clearly defined. For example, the *Translation* sub-job can be permitted for both the parent job types *Brochure*, *Manual*, and *Flyer*. Activate the option *Inherit from parent* in the sub-type for the inheriting variable. In this case, the link is established via the display name, which must be identical for the variable in the parent type and sub-type. On the data sheet, the user can click the button  to cancel the inheritance for the inheriting variable. In this case, the last inherited value remains in the sub-job or sub data object, even if the value is changed in the parent job or data object. Choose the button  to restore the inheritance.

## 1.4 Localization

**Note:** Note that you can only use this function in the Marketing Data Hub.

You use the *Localization* function to adapt data objects to the conditions of regional markets in the Marketing Data Hub. A localized data object contains a separate data sheet that is adjusted to local conditions and that uses an ID for each locale. You edit each data sheet in a separate workflow and can select different workflow types for each localized data sheet. This is significant, for instance, if there are different legal requirements in the territories and a legal check or certification is required.

You can use different workflow types to define different rights and visibilities for the required fields for each locale.

In order to enter values that are identical for a data object in each locale just once, flag the variable as language-neutral. Examples here include international data object names or technical data in standardized measurement systems (for instance, measurements in the metric system, weight specifications in kilograms).

You can also create sub data objects for localized data objects that inherit their values. Note that inheritance is only possible between localized parent data objects and localized sub data objects: The sub data object variant for *Spain* inherits its values from the parent data object variant *Spain*.

### 1.4.1 Configuring localization

Follow the process below to configure the localization. In addition, refer to all of the work steps required for configuring the Marketing Data Hub module (see Required work steps see page 18):

1. Create the required locales (see Locales see page 14).
2. Define the required workflows. For more information, see the configuration manual.
3. Create a data object type (*module name = Product Manager*) for which the *Localization* checkbox is activated (see chapter 2.3).

**Note:** Note that the *Localization* field can only be edited when you create a type.

4. Assign all workflows required for the localized data object to the type (see Type configuration see chapter 2.4).
5. Create the variables that are used for this data object type. For variables that are identical for each locale, activate the *Shared value* checkbox (see the variable descriptions in Variable types see page 52).
6. Publish the changes (see Publishing changes see page 44).

## 1.4.2 Locales

You can use the locale to describe the territories that are relevant to you using a small amount of data. You can enter the following values:

- **Name:** The unique ID of the locale.  
**Warning!** Entering other characters as digits leads to errors! Use consecutive numbering that continues the numbering from the last created territory.
- **Name displayed:** Include the names that you want to use in the various languages for the locale. Use the following structure: `~{language code}name`  
Enter multiple names one after the other. Note that you only have to enter the translations for the interface languages of your BrandMaker system.
  - **Language code:** language code according to ISO 639-1 in uppercase (for example, EN for English, DE for German).
  - **Name:** name of the locale that is displayed in the selection list in the data sheet of the localized data object.
  - **Example:** The *Spain* entry in the languages English, German, and French:  
`~{EN}Spain~{DE}Spanien~{FR}Espagne`
- **Attributes:**

| Name                                 | Function   | Edit            |
|--------------------------------------|--|-----------------|
| <i>uniqueName</i>                    | Unique name, which must be unique within the locale  | Mandatory field |
| <i>scriptCode</i>                    | The character set used for print characters (for example, Cyrillic or Simplified Chinese)  | —               |
| <i>numbers</i>                       | The character set used for numbers   | —               |
| <i>languageCode</i>                  | Language code according to ISO 639-1 in lowercase  | Mandatory field |
| <i>image</i>                         | Load an image to represent the territory visually. If the field is empty, the flag for the selected country code is displayed if it is stored by default.  | Optional        |
| <i>default</i>                       | Standard locale setting:<br>true = the locale is the standard locale.<br>false = the locale is not the standard locale.<br><b>Warning!</b> Only one locale must be flagged as the default locale at all times. | —               |
| <i>currency</i>                      | Currency entry for the locale  | —               |
| <i>countryCode</i>                   | Enter the country code of the territory  | Mandatory field |
| <i>collationParameter, collation</i> | Parameter for setting the character sorting in the relevant language   | —               |



| Name            | Function                                      | Edit |
|-----------------|---|------|
| <i>calendar</i> | Calendar form, such as the Gregorian calendar | —    |

### 1.4.2.1 Configuring or Changing the Locale

1. Choose > *Administration* > *Data Structures & Workflows* > *Custom Objects & Structures* > *Custom Objects*.
2. In the *Select custom structure* selection list, select the structure `L10N_Locale (L10N_Local)`.
3. Choose *Select*.
4. To create a new locale: In the *Create new custom object* field, enter the name of the new locale. Choose *Create*.  
OR  
To change an existing locale: In the *Choose available custom object* selection list, select an existing locale.
5. Mandatory: you always edit the following fields:
  - *Name*  
**Caution!** Use consecutive numbering that continues the numbering from the last created territory.
  - *Name displayed*
  - Attribute *uniqueName*
  - Attribute *language code*
  - Attribute *country code*
6. Optional: edit the following fields:
  - Attribute *default* for the locale that is the standard locale.
  - *Optional*: Attribute *image*
7. Choose *Save* at the end of the attribute list.

You have configured the locale. Repeat the process if additional locales are required.

### 1.4.2.2 Deleting a Locale

**Warning!** Data loss! Do not delete any locales that are being used in *Brand Template Builder* module.

1. Choose > *Administration* > *Data Structures & Workflows* > *Custom Objects & Structures* > *Custom Objects*.
2. In the *Select custom structure* selection list, select the structure `L10N_Locale (L10N_Locale)`.
3. Choose *Select*.
4. In the *Select available custom object* selection list, select an existing locale.
5. Click the *Delete* button below the attributes.

You have deleted the locale.

## 1.5 Synchronization

Basically, it is possible to set up a job type so that planning elements are created or data is synchronized in the Marketing Planner when the job is edited. For this purpose, the data sheet of the job type must be configured accordingly so that the position in the element tree as well as basic data is mapped correctly. In addition, for the combination of job type and workflow it is defined in which workflow steps the data is updated in the Marketing Planner when saving the job. You can also define whether the planning element is deleted if the job is canceled or deleted.

### Note

This synchronization is set up by BrandMaker. If you have any questions, please contact BrandMaker.

## 2 Required work steps

You must perform a range of work steps for the configuration. Please note that the process differs based on whether you are using a conventional workflow created with the previous function or a BPMN workflow.

### 2.1 Jobs and Data Objects

#### Prerequisite

- You have created users and a user group.
- You have created a workflow.

Note the detailed descriptions for users, user groups, and workflows in the configuration manual.

#### Step by step

The following work steps are required or can be carried out as options for the configuration of Job Manager and Marketing Data Hub:

1. Create a new type and assign a module (see chapter 2.3).
2. Link the types with one or more workflows (see chapter 2.4).
3. Design data sheets for a type (see chapter 2.5).
4. Create and define variables (see chapter 2.6).
5. Optional: Define conditions for displaying a variable and access rights for variables for each workflow step (see chapter 2.6.1).
6. Optional: Define variables for the e-mail notification (see chapter 2.8).
7. Optional: Create a category (see chapter 2.9).
8. Optional: Configure the format of the unique object numbers (see chapter 2.10).
9. Optional: Define the default type for new jobs and data objects (see chapter 2.11).
10. Optional: Configure the settings for the Only Briefing type and theme navigation (see chapter 2.12).
11. Optional: Create and manage templates for the Task Manager variable (see chapter 2.13).
12. Optional: Validate the created type (see chapter 2.3).
13. Publish changes (see chapter 2.14).

## 2.2 Processes

### Prerequisite

- You have created users and a user group.
- You have created the custom structures required for your decisions.

Note the detailed descriptions for users, user groups, and workflows in the configuration manual.

### Step by step

1. Create new types and assign a module (see Type management in chapter 2.3).
2. Design the data sheets for a type (see Designing the data sheet layout in chapter 2.5).
3. Create and define variables (see Creating and managing variables in chapter 2.6).
4. *Optional:* Define conditions for displaying a variable and access rights for variables for each workflow step (see Rights and visibilities of variables in chapter 2.7).
5. Create a BPMN workflow for the type (see BPMN workflow in chapter 3).
6. *Optional:* Define variables for the e-mail notification (see E-mail notification in chapter 2.8).
7. *Optional:* Create categories (see Type categories in chapter 2.9).
8. *Optional:* Configure the format of the unique object numbers (see Object number configuration in chapter 2.10).
9. *Optional:* Define the default type for new jobs and data objects (see Default types in chapter 2.11).
10. *Optional:* Configure the settings for the *Only Briefing* type and theme navigation (see Settings in chapter 2.12).
11. *Optional:* Create and manage templates for the *Task Manager* variable (see Managing task templates in chapter 2.13).
12. *Optional:* Validate the created type (see Managing types in chapter 2.3).
13. Publish changes (see Publish changes in chapter 2.14).

## 2.3 Types

The type is the central element of the datasheet Engine. The type determines which basic data is created for a job, a process or a data object. You create types under > *Administration* > *Datasheet Engine* > *Types – New*.

### Note

The previous page for managing types under > *Administration* > *Datasheet Engine* > *Types* still exists. The tables on both pages are synchronized so that you see the same objects on both pages. Note that processes created on the *Types - New* page will show up as jobs on the *Types* page.

Also, only the following actions are available on the respective pages in the current version:

- *Create and Edit Types*: You can create and edit types on both pages. However, BrandMaker recommends that you create new types exclusively on the > *Types - New* page.
- *Copy types*: This action is currently only available under > *Types*.
- *Delete types*: This action is currently only accessible under > *Types*.

To be able to reach both pages, your role must be assigned the `MANAGE_TYPES` permission.

### 2.3.1 Properties

The following table shows the properties of the job and data object types. A process has the same properties as a job except for the inheritance function.

Note that you set the *Name* (and thus the displayed name), *Type*, *Inheritance*, and for Data Objects, the *Localization* property when you create them. Type and inheritance cannot be changed after their creation.

| Name                               | Description  |
|------------------------------------|--|
| <i>(Displayed) name</i>            | Define the name that is visible to users. You can create the displayed name in different language versions.<br><br>See Display, technical, and unique name, chapter 1.1  |
| <i>Type</i>                        | The type determines which basic data is created for a job, a process or a data object.   |
| <i>Inheritance</i>                 | <b>Note:</b> that inheritance can only be created while you create a new type. The <i>Inheritance</i> property cannot be changed afterwards! The function can only be used for jobs and data objects.<br><br>Configure the inheritance: <ul style="list-style-type: none"> <li>• <i>No inheritance:</i> No datasheet variable inherits values from a parent datasheet.</li> <li>• <i>Single parent datasheet:</i> Only one job type is available as a possible parent datasheet.</li> <li>• <i>Multiple parents datasheet:</i> Multiple job types are available as possible parent datasheets.</li> </ul> Refer also to the Chapter 1.3. |
| <i>Localization</i>                | <b>Note:</b> Can only be activated when creating a new data object type.<br><br>Activate this checkbox if you want to create the localized version of a data object.<br><br>See Localization, chapter 1.4.   |
| <i>Unique name, technical name</i> | <b>Note:</b> Only accessible in the editing dialog box.<br><br>See Display, technical, and unique name, chapter 1.1  |
| <i>Description</i>                 | <b>Note:</b> Only accessible in the editing dialog box.<br><br>Enter additional information about the type that is displayed when it is created.   |
| <i>Categories</i>                  | <b>Note:</b> Only accessible in the editing dialog box.<br><br>Select the categories to which the type is assigned. When the item is being created, the types are displayed in categories.   |

| Name   | Description  |
|--|--|
| <i>Type can only be selected by</i>  | <p><b>Note:</b> Only accessible in the editing dialog box.</p> <p>Specify which organizational unit, user group or VDB group can select the types.</p> <p><b>Note:</b> Note that this setting does not affect the visibility of jobs based on this type.</p>   |
| <i>Activating an access control.</i>   | <p><b>Note:</b> Only accessible in the editing dialog box.</p> <p>If you activate this checkbox, only users who belong to the same organizational unit or an organizational unit in the hierarchy below it such as the creator and processor of the job or data object can view the jobs derived from this type.</p> |
| <i>Parent datasheets</i>   | <p><b>Note:</b> Only visible in the editing dialog box if <i>Inheritance = single parent datasheet</i> was specified when created.</p> <p>Select a type.</p>   |
| <i>Jobs/processes and data object type only exist as sub-job/process/data object</i> | <p>Activate the checkbox if the job, process or data object may only be used as a sub-job, sub-process or sub-data object.</p>   |
| <i>Manually adding sub-jobs/sub-data objects</i>                                     | <p><b>Note:</b> Effective for Job and Data object types. Only accessible in the editing dialog box.</p> <p>Activate the checkbox if the user is allowed to add sub-jobs or sub-data objects to the job or data object manually.</p>  |
| <i>Permitted sub-job types/data object types</i>                                     | <p><b>Note:</b> Only accessible in the editing dialog box. Only for Job and Data object types. The <i>Manual addition of sub-jobs</i> checkbox must be selected.</p> <p>Specify which types can be added as sub-jobs/data objects during creation.</p>   |
| <i>Selected sub-job/data object type</i>   | <p><b>Note:</b> Only accessible in the editing dialog box. Only for Job and Data object types. The <i>Manual addition of sub-jobs</i> checkbox must be selected.</p> <p>Specify which sub-job or sub-data object is added by default when creating.</p>  |

| Name  | Description   |
|---|---|
| <p><i>Automatically added sub-jobs/data objects</i></p> | <p><b>Note:</b> Only for job and data object types. Only accessible in the editing dialog box.</p> <p>Specify which sub--jobs or data objects are added automatically when the item is created. Click the plus sign to configure a sub-job or sub-data object. Define the following settings:</p> <ul style="list-style-type: none"> <li>• <i>Job/Data object type:</i> Specify the sub-object type.</li> <li>• <i>Workflow:</i> Defines the workflow for the sub-object.</li> <li>• <i>Processor:</i> Defines which user is assigned to the sub-object. Depending on the settings of the selected type, further selection fields may open up</li> <li>• <i>Standard name:</i> Specify a default name.</li> <li>• <i>Optional sub-job/data object:</i> If you activate the checkbox, the user can choose whether the sub-object is created. If the checkbox is deactivated, the sub-object will always be created automatically.</li> </ul> |
| <p><i>Use for synchronization</i></p>                   | <p><b>Note:</b> Only accessible in the editing dialog box for process types. Once synchronization is enabled, the function cannot be disabled.</p> <p>Activate the switch if the type is used for synchronization of a process with a planning element. If you have further questions about synchronization, please contact your BrandMaker contact person.</p>   |

**Note**

The "delivery date" set in the parent job is inherited to the sub-job as the default value.



## 2.3.2 Managing Types


The chapters below describe how to manage types. This includes the following tasks:

- Creating types, see Chapter 2.3.2.1
- Editing types, see Chapter 2.3.2.2
- Copying types, see Chapter 2.3.2.3
- Deleting types, see Chapter 2.3.2.4

### 2.3.2.1 Creating a type

1. Choose > *Administration* > *Datasheet Engine* > *Types – New*.
2. Choose *Create new*.

The following dialog box is displayed:



3. Enter a name.
4. Specify which types can be created: jobs, data-objects or processes.
5. For job and data-object types: Specify the inheritance. Note that you cannot change this setting at a later time.
6. For data object types: Select the checkbox if you want to create localized variants of a data object. Note that you cannot change this setting at a later time.
7. Click *Create*.

The *Edit properties* dialog box opens.

8. Switch to the *Properties* tab.
9. Edit or add to the type properties. Please refer to Chapter 2.3.1.
10. Switch to the *Changes* tab in the upper part of the dialog box.
11. Click *Publish* at the bottom right of the dialog box.

You have created the type and published the changes.

#### Note

Creating types is also possible via the > *Administration* > *Datasheet Engine* > *Types* page. However, BrandMaker recommends that you create new types exclusively on the > *Types - New* page.

#### Note

Note that changes to types must currently be published via the action mentioned in the last steps.

### 2.3.2.2 Editing types

1. Choose > *Administration* > *Datasheet Engine* > *Types – New*.
2. In the table, click the pencil icon at the end of the row for the type you want to edit.

The *Edit properties* dialog box is displayed:

The screenshot shows the 'Edit properties' dialog box with two tabs: '\*CHANGES' and 'PROPERTIES'. The 'PROPERTIES' tab is active. The form contains the following fields:

- Display name \***: Text input with 'Digital Production' and a help icon. Below it, 'No translation yet'.
- Unique Name \***: Text input with 'production\_digital\_7' and a help icon.
- Technical Name**: Text input with 'production\_digital'.
- Description**: Text area with 'No translation yet' below it.
- Category**: Dropdown menu with a help icon.
- Type can only be selected by**: Dropdown menu with 'Group' and a help icon.


3. Edit or add to the type properties. Please refer to Chapter 2.3.1. Changes are saved directly, but not published, i.e. they are not yet effective.
4. Switch to the *Changes* tab in the upper part of the dialog box.
5. Click *Publish* at the bottom right of the dialog box.

You have edited the *Type* and published the *Changes*.

### Note

Note that changes to types must currently be published via the action mentioned in the last steps.

#### 2.3.2.3 Copying types


1. Click > *Administration > Datasheet Engine > Types*.
2. In the table, click the icon in the *Edit* column for the type you want to copy .

The *Create Type Copy* dialog box opens.

3. Enter a name for the copy. If necessary, click the globe icon to enter the name in several languages.
4. Click *Copy*.

You have copied the type.

#### 2.3.2.4 Migrating a job


1. Click > *Administration > Datasheet Engine > Types*.
2. In the table, click the icon  in the *Edit* column for the job type you want to copy. Note that the icon is displayed only for migratable job types.

The *Copy and Migrate to Process Type* dialog box opens.

3. Enter a name for the copy. If necessary, click the globe icon to enter the name in several languages.
4. Click *Copy*.

You have copied the type and migrated it to a process type.

#### 2.3.2.5 Deleting types

1. Click > *Administration > Datasheet Engine > Types*.
2. In the table, click the icon in the *Edit* column for the type you want to delete .

A confirmation prompt is displayed.

3. Click *Yes*.

You have deleted the type.

### 2.3.3 Adding a sub-job or sub data object

Sub-jobs allow you to structure workflows and make dependencies between different workflows visible. You can use sub-jobs to sub-divide a data object or data object data record. You can specify:

- whether a user can add sub-jobs or sub data objects manually when creating a new job or data object,
- whether certain sub-jobs or sub data objects are added automatically when a new job or data object is created.

#### Prerequisites:

- You have defined allowed sub-job types or sub data object types.
- You have already created job types or data object types and linked them to a workflow.

In the area *Automatically generated Sub-Jobs* choose *Add Sub-Job (Automatically generated Sub-Products > Add Sub-Product)* to specify the sub-type that is added automatically when the item is created. Enter the required settings in the dialog box that opens.

**Note:** The required settings are identical for adding a sub-job and adding a sub data object. The settings are described in the example for a sub-job.

| Name                    | Description  |
|-------------------------|--|
| <i>Job type</i>         | Select the job type that is added as a sub-job automatically.  |
| <i>Workflow</i>         | Select the workflow that is linked to the sub-job. The workflows linked to the selected job type can be selected from the dropdown list.   |
| <i>Assignee</i>         | The dropdown list appears after you have selected a workflow.<br>Specify the user responsible for the workflow. You can choose from the user group assigned to the workflow.       |
| <i>Default job name</i> | Enter the name that is used by default when creating the sub-job.<br><b>Note:</b> Use <parentJobName> to adopt the name of the parent job as the default job name.                 |
| <i>Optional Sub-Job</i> | <ul style="list-style-type: none"> <li>• <i>Yes:</i> Users can choose whether the sub-job is to be created.</li> <li>• <i>No:</i> The sub-job is created automatically.</li> </ul> |

**Note:** The "delivery date" set in the parent job is inherited to the sub-job as the default value.

## 2.4 Assigning a workflow

To use a type, you must link the type to a workflow. This ensures that all of the steps required for processing a datasheet are carried out.


Note:

- Job and data object types are linked to a classic workflow.
- For a process, you create a BPMN workflow.

To create a classic workflow, you have two options:

- Under > *Administration > Data Structures & Workflows > Workflows*, you create classic workflows that other modules can also use. In this case you have to assign one or more workflows to the job or data object type. To do this, refer to the first of the following sections.
- Under > *Administration > Datasheet Engine > Types - New*, you create a classic workflow that is used exclusively by this job or data object type. Please refer to the second of the following sections.


### Assign one or more classic workflows.

1. Choose > *Administration > Datasheet Engine > Assign Workflows*.
2. Select the desired type from the overview list.
3. Choose .

This activates the input screen.

4. Choose a workflow from the *Add workflow* picklist.
5. Click *Save*.

You have linked the selected workflow to the type. You can link the type to additional workflows if required. To do so, repeat the steps described above.



### Note

For the synchronization of jobs with planning elements in the Marketing Planner (see chapter 1.5), the combination of workflow and job type can be edited in this dialog. In doing so, it is determined in which workflow steps the data in the Marketing Planner is updated when saving the job. You can also define whether the planning element is deleted if the job is canceled or deleted.

Please note that these specifications are made by BrandMaker when setting up the synchronization. Clarify possible effects with your BrandMaker contact person before you make any changes.

### To create a classic workflow for a job or data object type

1. Click > *Administration* > *Datasheet Engine* > *Types - New*.
2. Click the gear icon for a job or data object type.





The *Configure Workflow* dialog box opens.

3. Click *Create new*.

The *New Workflow* dialog box opens.


4. If you want to create a new classic workflow:
  - a. Click *From the scratch*.
  - b. Enter a name and description for the workflow.
5. If you want to use an existing classic workflow as a starting point:
  - a. Click *With existing workflows*.
  - b. Select an existing workflow from the drop-down list.
6. Click *Save*.

You have created the workflow.

7. Edit the workflow:
  - Click  to configure access rights.:
  - Click the plus sign to insert a subsequent workflow step.
  - Click >  > *Edit* to edit the settings of the workflow step.
  - Click >  > *Copy* to copy the workflow step.
  - Click >  > *Delete* to delete the workflow step.
8. Click X to close the dialog box.

You have created a classic workflow exclusively for this type.

### Creating a BPMN workflow for a process

1. Choose > *Administration* > *Datasheet Engine* > *Assign Workflows*.
2. Select the desired type from the overview list.
3. Click .

The BPMN Workflow Modeler opens. Create a workflow as described in Chapter 3.

## 2.5 Managing a data sheet layout

### Note

This section describes how to set visibility for job and data object types. A description of the visibilities for processes can be found in chapter 3.7.

You can use existing variables and attributes to design data sheets that are used and filled out by users when creating a job, process, or data object. Note that a process is managed in the Job Manager module. Choose > *Administration* > *Datasheet Engine* > *Datasheet Layout* to edit the data sheet.


**Note:** note that the display of the data sheet fundamentally differs in the Job Manager and Marketing Data Hub. A data sheet in the Job Manager always includes the tabs *Basic Data*, *Comments*, *Participants*, *History*, and *Workflow*. You can rename and rearrange these tabs but cannot delete them. However, the *Comments* tab can be hidden using the visibility settings. A job data sheet is also always provided with a job discussion.

| Number | Description   |
|--------|---|
| 1      | <p>This lists all of the data sheet tabs that have been created. You can carry out the following functions for the tab:</p> <ul style="list-style-type: none"> <li>• Rename it.</li> <li>• Delete it.</li> <li>• Manage the access (rights and visibilities).</li> </ul>  |
| 2      | <p>Click the <i>Plus</i> sign to add a new tab.</p>   |
| 3      | <p>This area displays the data sheet layout. You can:</p> <ul style="list-style-type: none"> <li>• Design the layout as one-column or two-column.</li> <li>• Remove sections or columns via the context menu.</li> <li>• Place or remove variables or sections using drag and drop.</li> </ul> <p>Click the cogwheel menu to open a context menu for editing or copying a variable.</p> |
| 4      | <p>Drag the graphical elements <i>Add Section</i>, <i>Add Section with Separator</i>, and <i>Additional column</i> to the data sheet using drag and drop.</p>   |

| Number | Description  |
|--------|--|
| 5      | You can place the available variables on the data sheet using drag and drop. Click the cogwheel menu to open a context menu for editing or copying a variable. |
| 6      | Click the <i>Plus</i> icon to create a new variable.   |



**Note:** If you want to connect a data object and its data in *Brand Template Builder* module to the *Smart Group* function, an image must be defined in the *Images* field on the data sheet and the data object must be assigned to at least one theme. Accordingly, the type must provide the system variables *Images* and *Themes*. Take this into account when you create the data sheet.




### 2.5.1 Visibility of a data sheet tab

The access to and visibility of tabs and the variables placed on them can be restricted when you configure the type for each workflow step. For this, users are divided into the categories *Assignee/Processor*, *Creator*, *Other participants* and *Anonymous*. The category that you belong to when opening the data sheet thus determines which tabs and variables on the data sheet can be viewed or edited.

To change the visibility of a data sheet tab, click > *Administration > Datasheet Engine > Datasheet Layout* and open a data sheet. Click the icon  for a data sheet tab. The visibility of a data sheet tab can be defined as follows for each workflow step:

| Category                  | Visibility             |
|---------------------------|------------------------|
| <i>Initiator</i>          | Visible or not visible |
| <i>Creator</i>            | Visible or not visible |
| <i>Other participants</i> | Visible or not visible |

**Note:** The visibility of the *Basic Data* tab cannot be changed. The tab is visible to all users.







## 2.6 Managing Variables

You can edit the variables that are assigned to a type or add new variables. After you have selected a type from the dropdown list, the assigned variables are listed.

**Note:** If you want to connect a data object and its data in *Brand Template Builder* module to the *Smart Group* function, an image must be defined in the *Images* field on the data sheet and the data object must be assigned to at least one theme. Accordingly, the type must provide the system variables *Images* and *Themes*. Take this into account when you create the data sheet.

### Prerequisites:

- You have the right MANAGE\_VARIABLES.

| Name/Button   | Description  |
|---|--|
|    | This creates a new variable for the selected type. |
|    | This edits the selected variable.                  |
|   | This copies the selected variable.                 |
|  | This deletes the selected variable.                |

**Note:** You can also create a new variable when editing the data sheet layout.

### 2.6.1 Grouping variables

In principle, each variable is created individually for each type. This means that the values of the variables are displayed in different columns in the overview of the module.

You can group variables to compare specific values for each job, process, or data object to each other. You can then display these values in a column in the overview. Examples include:

- The price of data objects that are derived from various data object types
- The completion date of jobs that are derived from various job types

In order to group variables, the variables in the various types must have an identical technical name and must be of the identical variable type. In addition, the option *For all types* must be activated in the settings of the variables.

If a user wants to display these variables in a column, the user chooses > *Edit* > *Arrow key* in the overview in a cell in the header > *Columns* > *General* and activates the checkbox for the variables. The user then chooses *Save view for current filter*.

## 2.7 Visibility of variables

### Note

This section describes how to set visibility for job and data object types. For a description of the visibility of processes, see Chapter 3.7.

By defining the visibilities and rights of a variable, you can specify whether a variable is displayed for certain user roles and/or can be edited. You can configure these settings separately for each workflow step. There are a number of different user categories:

- *Assignee*: The assignee is the user responsible for the workflow step.
- *Creator*: The creator is the user that has created the job or data object type.
- *Other participants*: Other participants are users that were invited to the job or data object type.
- *Anonymous*: All other users that do not belong to one of the named user groups are flagged as anonymous.


To define the visibility and editing options for the user categories, you have two options:

- Choose > *Administration* > *Datasheet Engine* > *Variables Access Rights*.
- Choose > *Administration* > *Datasheet Engine* > *Datasheet Layout*. Open the desired data sheet and choose *Access and Rights* from the context menu of the variables.

You can define the visibilities and editing options by activating the following options:

| Name/Icon   | Description  |
|---|--|
|  | The variable is displayed and can be edited.                     |
|  | The variable is displayed but cannot be edited.                  |
|  | The variable is defined as a mandatory field and must be edited. |
|  | The variable is not displayed.                                   |

**Note:** If a workflow is changed at a later stage, all settings for authorizations and visibilities are reset.



## 2.8 Workflow messages

Messages are generated automatically and sent for actions such as forwarding to the next workflow step or inviting a user to a job, for example. Choose > *Administration* > *Datasheet Engine* > *Workflow Messages* to manage the dispatch of messages.

### Prerequisites:

- You have the right `MANAGE_EMAIL_NOTIFICATION`.

Go to > *Administration* > *Datasheet Engine* > *Workflow Messages* and choose a type. The available variables are then displayed in the list.

The list contains the following columns:

| Name            | Description  |
|-----------------|--|
| <i>Status</i>   | Activate the checkbox to adopt the variable or its value in the system messages. |
| <i>Variable</i> | This displays the name of the variable.  |
| <i>Tab</i>      | This displays the tab on which the variable is placed.                           |
| <i>Sorting</i>  | You can change the order of activated variables.                                 |

### Managing the e-mail dispatch

You can define which users are informed with a message when an action is carried out for a type. To do this, users are divided into different user groups. Select a type from the dropdown list and choose *Manage e-mail dispatch*.

**User groups:**

- *Assignee*: The user who is responsible for the workflow step.
- *Creator*: The user who created the type.
- *Participant*: Users that have been invited.

**Actions that trigger an e-mail dispatch:**

- *General actions*: Due date warning, Invite participants, Remove participants, Change creator, Finish, Cancel, Delete, Change Assignee
- *Workflow-specific actions*: Forward to next step, Pass back to previous step


Activate the corresponding checkboxes to configure the dispatch of messages. Note that the user that triggers an action does not receive a message.

|                                    | Assignee                            | Creator                             | Participant                         |
|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>General actions</b>             | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Due date warning                   | <input checked="" type="checkbox"/> |                                     |                                     |
| Invite participants                |                                     |                                     | <input checked="" type="checkbox"/> |
| Remove participants                |                                     |                                     | <input checked="" type="checkbox"/> |
| Change creator                     |                                     | <input checked="" type="checkbox"/> |                                     |
| Change Assignee                    | <input checked="" type="checkbox"/> |                                     |                                     |
| Finish                             | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Cancel                             | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Delete                             | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| <b>All steps in workflows</b>      | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |                                     |
| <b>Workflow "Campaign Request"</b> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |                                     |

Buttons: Reset Values, Cancel, Save

## 2.9 Type categories

Define type categories to display the available types by category when creating a new job, process, or data object. Note that processes are managed like jobs in the *Job Manager* module. Users can browse the list and further restrict it.



### 2.9.1 Creating a type category

You want to create the category `Photo-shoots` for the Job Manager module.

#### Prerequisites:

- You have the right `MANAGE_TYPE_CATEGORIES`.

#### Step by step:

- Click `> Administration > Datasheet Engine > Type Categories`.
- Choose *Create new*.
- This opens a new dialog box.
- Enter `Photo-shoots` in the *Name* input field.
- Choose the entry *Job Manager* from the *Module* dropdown list.
- Click *Save*.

You have created the category `Photo-shoots` for the Job Manager module. You can assign job types to this category.

## 2.10 Configuring the object ID

When you create a data sheet, a unique ID for the job, processes, or data object is assigned automatically. Note that processes are managed like jobs in the *Job Manager* module. Choose > *Administration > Datasheet Engine > Object ID* to determine the format based on which the object ID is created. An overview provides information about how the object IDs are generated in the Job Manager and Marketing Data Hub modules.

### Prerequisites

- You have the right MANAGE\_OBJECT\_NUMBERS.

| Name                        | Description  |
|-----------------------------|--|
| <i>Module</i>               | This displays the module for which the object ID configuration is valid.               |
| <i>Format</i>               | This displays the currently selected format based on which the object ID is generated. |
| <i>Preview</i>              | This displays an example of the object ID.   |
| <i>Last change</i>          | This displays the date on which the object ID configuration was last edited.           |
| <i>Last modification by</i> | This displays the user that last edited the object ID configuration.                   |
| <i>Editing</i>              | Click the pencil icon to edit the object ID configuration.                             |


**Note:** A newly defined object ID format is applied as of the next incremental number (#) that is used. Unique IDs that have already been assigned for data sheets remain unchanged. The newly defined formats (a YYYY-MM-DD time stamp, for example) are attached to these IDs.



### 2.10.1 Editing the format of the object ID

In the overview of the object number configuration, click the *pencil* icon to edit the format of the object ID for a module.

| Name                                      | Description  |
|---|--|
| <i>Preview</i>                            | This displays a preview of the current format of the object ID.  |
| <i>Format</i>                             | Choose from the list of predefined formats (#, #-YYMMDD, YYYY-MM-DD_#, YYYYMMDDhhmmss.#). You can use the predefined formats to add a timestamp to the object ID.  |
| <i>Incremental number (#) starts with</i> | The next number used (the ID used last + +1) is entered in the input field automatically. The newly defined object ID format is applied from the entered number onwards. You can enter another higher number. Your entry is checked. If you enter an invalid number, you are informed about this by an info message. |
| <i>Possible inputs</i>                    | This lists the characters that you can use for the object ID format, such as "YY" for two-digit year numbers or "DD" for days, for example, and the special characters that are permitted.   |



## 2.11 Default types

Create the default type for the Job Manager and Marketing Data Hub modules. The type defined as the default is then displayed under the category *Standard* when you create a new job, process, or data object. You can also define whether the *Only Briefing* type can be used in the individual modules. With the help of the *Only Briefing* type, requirements for a job, process, or data object can be described simply, without having to configure an extensive data sheet or select a workflow.

### Prerequisites:

- You have the right `MANAGE_DEFAULT_TYPES`.

| Default Types               |  |
|-----------------------------|--|
| Default for Event Manager   | No Type as Default <input type="checkbox"/> Hide Type "Only Briefing"            |
| Default for Job Manager     | Photoshooting <input checked="" type="checkbox"/> Hide Type "Only Briefing"      |
| Default for Product Manager | No Type as Default <input checked="" type="checkbox"/> Hide Type "Only Briefing" |

Cancel Save

## 2.12 Settings

For the *Only Briefing* type, you can define the message text when a job or data object is forwarded. Click > *Administration > Datasheet Engine > Settings* and then choose whether you want to define the settings for jobs or data objects.

### Prerequisites:

- Use of the *Only Briefing* type is allowed.

From the dropdown list or input field, you can define which message (if any) is sent when jobs or data objects of the type *Only Briefing* are forwarded:

- No message: No message is sent when the item is forwarded.
- Only when processing via Briefing: The stored message is sent when the item is forwarded.

You can also configure the *settings for the theme navigation*. Select the *Enable theme navigation filter* checkbox to enable theme navigation for all users in the module in question. If you want to access the navigation for *tasks* and *time management*, activate the *Enable Tasks and Worklogs*.

**Jobs Settings**  
**Success message**  

No message ▼

No message

Only when processing via Briefing

Enable theme navigation filter

  
**Tasks and Worklogs navigation**

Enable Tasks and Worklogs





## 2.13 Task Templates

You can use a created task schedule again by saving it as a template. You can then access and use a task that was saved as a template quickly and easily in the task scheduler. Click > *Administration > Datasheet Engine > Task Templates* to create a new template or edit an existing template.

### Prerequisites:

- You have the right MANAGE\_TASK\_TEMPLATES.
- Tasks are already saved as templates.

This opens an overview that displays the name of the task, the number of work steps, the description, and the creator of the task. Click one of the icons to edit a task template or create a new task template.

| Name/Button   | Description                                |
|---|--|
|    | This creates a new task template.          |
|    | This allows you to edit the task template. |
|  | This copies the task template.             |
|  | This deletes the task template.            |

### 2.13.1 Creating a task template

You want to create a task template and define the work steps for creating a new data object brochure. You want to define the individual steps `Check image material and texts`, `Assign agency`, `Assign print agency`, and `Send`.

### Prerequisites:

- To use the task template, a workflow that covers the work steps defined in the task template is required.
- You have the right MANAGE\_TASK\_TEMPLATES.

### Step by step:

1. Choose > *Administration > Datasheet Engine > Task Templates*.
2. Choose *Create new* to create a new task template.  
This opens a new dialog box.
3. Enter the name of the task template in the input field.
4. *Optional*: Enter the name in different language versions.
5. *Optional*: Enter a description of the task template.

6. Choose the entry *1* from the *Apply Steps* dropdown list.

7. Choose *Add Tasks*.

This activates the input screen below the entry *Step 1*.

8. Enter `Check image material and texts` as the name of the task.

**Note:** In an activated input screen, use the [ESC] key to discard an entry.

9. Double-click the cell in the *Duration* column.

This activates the input screen.

10. Enter the *Duration* in days and the *Estimation* in hours.

11. Choose the entry *2* from the *Apply Steps* dropdown list.

This creates the field *Step 2*.

12. Choose *Add Tasks*.

This activates the input screen below the entry *Step 2*.

13. Enter `Assign agency` as the name of the task.

14. Repeat steps 9 and 10.

15. Use the *Apply Steps* dropdown list to create the work steps `Assign print agency` and `Send`.

16. Click *Save*.

The task template has been created and can be used on a data sheet for the task planner. The names of the work steps are overwritten with the names of the individual workflow steps of the workflow assigned to the job when the template is used.

## 2.14 Publishing changes

All of the changes made in the type configuration are grouped together and can be carried out simultaneously at a time that you can specify yourself. You require the right PUBLISH\_DSE\_CHANGES.

### Attention!

Please note that you have to fix all formal errors before you can publish a newly created or modified BPMN workflow. Publishing with formal errors can permanently damage the job type.

**Note:** Note that publishing changes may lead to impact performance for other users. We therefore recommend publishing changes at a time when the system load is lower.

You publish the changes for each type separately. You do this under > *Administration* > *Datasheet Engine* > *Types - New* in the Edit dialog box on the *Changes* tab. Note that you cannot plan such a publication.

### Note

We recommend that you do not collect the changes for multiple types and publish them together.

### Associated tasks

- *Publishing changes immediately* see page 46: You can publish changes immediately at all times. You can do so even if you have already scheduled a publication.
- *Scheduling a publication* see page 47: If you want to publish the changes at a specific time, you can enter this time. Administration then carries out the publication at this time. You can schedule a publication even if there are still no changes in the type configuration.
- *Changing a scheduled publication* see page 47: If you want to carry out the publication at a different time, you can edit the time.
- *Canceling a scheduled publication* see page 48: If you no longer want to carry out a publication, you can cancel it.
- *Discarding changes* see page 49: If you do not want to publish changes that have been made, you can delete them. Note that you can only undo all of the pending changes, not just one.

## Publish changes of type configuration - Datasheet Engine - Module Configuration

**⚠ 12 changes pending. Publishing not scheduled**

Type configuration changes are not executed immediately but collected for joint publishing at a scheduled time. It is recommended to publish the changes during times of low system load, since the process affects the overall system performance.

🕒 SCHEDULE PUBLISHING ▶ PUBLISH NOW

### Pending changes

🗑 DISCARD ALL

| USER         | ACTION  | DATA  | CREATION TIME    |
|--------------|---------|---|------------------|
| 👤 John Admin | Created | Workflow association (id:47) 4                        | 09/19/2016 10:15 |
| 👤 John Admin | Changed | Data-sheet (id:1569) BasicData                        | 09/19/2016 10:15 |
| 👤 John Admin | Changed | Data-sheet (id:1602) Kommentare                       | 09/19/2016 10:15 |
| 👤 John Admin | Created | Variable binding (id:2208) for DSE variable (id:-119) | 09/19/2016 10:15 |
| 👤            | Changed | Variable binding (id:1574) for DSE variable (id:-123) |                  |

### 2.14.1 Publishing changes immediately

You can publish changes immediately at all times. You can do so even if you have already scheduled a publication.

**Note:** Note that publishing changes may lead to impact performance for other users. We therefore recommend publishing changes at a time when the system load is lower.

#### Prerequisite

- An administrator has added changes that have not been published yet.

#### Publish changes of a type immediately

1. Click > *Administration > Datasheet Engine > Types - New*.
2. Click the pencil icon for the type whose changes you want to publish.
3. The editor opens.
4. Switch to the *Changes* tab.
5. Click *Publish*.

The changes are published.

#### Publishing changes immediately

1. Click > *Administration > Datasheet Engine > Publish changes*.

The list of changes is displayed.

2. Click > *Publish Now*.

The changes are published.

## 2.14.2 Scheduling a publication

If you want to publish the changes at a specific time, you can enter this time. Administration then carries out the publication at this time. You can schedule a publication even if there are still no changes in the type configuration.

**Note:** Note that publishing changes may lead to impact performance for other users. We therefore recommend publishing changes at a time when the system load is lower.

1. Click > *Administration > Datasheet Engine > Publish changes.*

The list of changes is displayed.

2. Click > *Schedule Publishing.*

The following dialog box opens:

**Schedule publishing of pending changes**

All pending changes and new changes collected until then will be published at the specified date and time.

**Date**  
09/30/2016

**Time**  
18:30

SCHEDULE PUBLISHING CANCEL

3. Enter the date and time of publication.
4. Click > *Schedule Publishing.*

You have scheduled the publication. The changes are published at the specified time.



### 2.14.3 Changing a scheduled publication

If you want to carry out the publication at a different time, you can edit the time.

#### Prerequisite

- You have already scheduled a publication.


#### Changing a scheduled publication

1. Click > *Administration > Datasheet Engine > Publish changes.*

The list of changes and publishing time are displayed.

2. Click > *Edit Time.*

The following dialog box opens:



**Schedule publishing of pending changes**

All pending changes and new changes collected until then will be published at the specified date and time.

**Date**  
09/30/2016

**Time**  
18:30

SCHEDULE PUBLISHING CANCEL

3. Edit the publishing time.
4. Click > *Schedule Publishing.*

You have edited the publishing time. The changes are published at the specified time.

## 2.14.4 Canceling a scheduled publication

If you no longer want to carry out a publication, you can cancel it.

### Prerequisite

- You have already scheduled a publication.

### Changing a scheduled publication

1. Click > *Administration > Datasheet Engine > Publish changes*.

The list of changes and publishing time are displayed.

2. Click > *Cancel Scheduling*.

The publication is canceled. The changes therefore do not take effect.

## 2.14.5 Discarding changes

If you do not want to publish changes that have been made, you can delete them. Note that you can only undo all of the pending changes, not just one.

### **Warning! Data loss!**

If you discard changes, all of the unpublished changes in the type configuration are discarded. You cannot undo this step!

### Prerequisite

- An administrator has added changes that have not been published yet.

### Discard changes of a type

1. Click > *Administration > Datasheet Engine > Types - New*.
2. Click the pencil icon for the type whose changes you want to publish.

The editor opens.

3. Switch to the *Changes* tab.
4. Click *Discard changes*.

The changes in the type configuration are deleted.


### Discarding changes

1. Click > *Administration > Datasheet Engine > Publish changes*.

The list of changes is displayed.

2. Click > *Discard Changes*.

The following dialog box is displayed:



3. Click > *Discard Changes*.

The changes in the type configuration are deleted.

## **Publish changes of type configuration - Datasheet Engine - Module Configuration**

** No changes pending**

Type configuration changes are not executed immediately but collected for joint publishing at a scheduled time. It is recommended to publish the changes during times of low system load, since the process affects the overall system performance.

Even though there are currently no pending changes you might schedule a publishing time to automatically publish any new changes collected until that time.

 SCHEDULE PUBLISHING

## 3 BPMN workflow

This chapter explains how to create BPMN workflows for processes. You can create a BPMN workflow in the BPMN Editor.

### Open BPMN editor

1. Click > *Administration* > *datasheet engine* > *Types - New*.
2. Click the pencil icon for a process type.


The BPMN editor opens. The following chapter describes the layout of the editor.

## 3.1 Layout of the Editor


This section describes the layout and main functions of the editor.

The editor consists of four tabs:

- Changes: Tab where you publish the changes to the type (see Chapter 3.7, **1**).
- Properties: tab where you enter or edit all properties of the type (**2**). The properties are described in Chapter 2.3.1.
- Workflow: Workflow Modeler (Chapter 3.1.1, **3**)
- E-Mail Templates: Editor for creating e-mail templates for sending tasks (Chapter 3.1.2, **4**)






### 3.1.1 Workflow Modeler



#### 1 Toolbar

The toolbar contains the elements that you use for the workflow structure. See chapter 3.2 for a description. You can also access tools for working with the elements in the drawing area here:

-  Hand tool
-  Lasso tool
-  Add/remove space

#### 2 Properties dialog box

This dialog box displays the properties of the element that you have selected. The screenshot above displays the dialog box for the workflow, where you activate and configure the simplified view. For more information about the simplified view, see chapter 3.6.

#### 3 Button for switching the view

The following button is displayed in this area:

- Show current error messages: If you activate this view, the current formal errors in the workflow design are displayed. This setting is recommended while you are finishing the design especially. If you deactivate the view, no formal errors are displayed.

#### 4 Drawing area


You add the elements to the drawing area to build your workflow.

#### 5 Action buttons

You can access the following actions in the bottom area:

- Delete diagram: This action deletes all the elements from the drawing area.
- Undo: The last action is undone.
- Redo: The last undone action is restored.

### 3.1.2 Editor for e-mail templates



#### 1 E-mail template selection list

In the selection list, select the e-mail template you want to edit, or select the *New e-mail template* entry to create a new template. If you click *Load Standard Templates* below the list, the templates stored in the system are loaded into the selection list. You can then also edit the default templates.

#### 2 List of language variants

When you create or edit a template, the language variants are displayed here. Currently you can create German and English language variants.

#### 3 Subject

Enter the subject of the e-mail in the selected language variant.

#### 4 Editor

Enter the content of the e-mail in the editor. You have numerous formatting options and you can add system variables (see Chapter 4.2) and variables of the job. Variables of the following types are available:

- Single line and multiline input area (see chapter 4.1.7)
- Single-select and multi-select (see chapter 4.1.6)



- Datepicker with/without time (see chapter 4.1.4)
- User (see chapter 4.1.2)
- Numbers (see chapter 4.1.17)
- Combobox (see chapter 4.1.9)
- Comfort Grid (see chapter 4.1.13)
- Advanced Grid (see chapter 4.1.12)

Other variable types cannot be inserted.

### **Create template**

Click the button to save the created template.

## **3.2 Available elements**

### **3.2.1 Start event**

The start event initiates a process instance. Each BPMN workflow requires exactly one start event.



#### **Parameters**

You can enter a name for the start event in the properties dialog.

### **3.2.2 End event**

The end event ends a process instance. Each BPMN workflow requires exactly one end event.



#### **Parameters**

You can enter a name for the end event in the properties dialog.

### 3.2.3 User task

Each step in a process instance must be described as a task. The *User task* element is used to model the work to be performed in the system by a human actor.



#### Name

For a user task you have to enter a name in the properties dialog.

#### Assignment

Since user tasks must be performed by human actors, you must assign them to either a group or a specific user. Alternatively, you can also select the processor using a variable on the data sheet (e.g. with the *Creator* variable).

Candidates

- Group assignment
- User assignment
- Use job variable for assignment
- Creator

- *Group assignment*: When the user task is activated, it is displayed in the *Available tasks* list for the group. Every user that is part of the group can accept the task. With this setting, you select a user group in the picklist.
- *User assignment*: When the user task is activated, it is assigned directly to the selected user. With this setting, you select a user in the picklist. You can search through the users with access to the module based on logins, e-mail address, first name, and last name. An auto-complete helps you to select the user.

- Use variable for the assignment: When the user task is activated, it is assigned directly to the user that is entered in the selected variable.

**Note**

The default *Creator* variable is always available. To select a different variable for the assignment, you must first create the data sheet layout with the desired variable.

**Attention!**

If the variable is not filled out when the user task is activated, the process hangs and cannot be ended. Therefore, ensure that the variable is filled out, for example, by having the variable filled out as a mandatory field in an earlier step (see chapter 2.7).

- *Creator*: The user task is assigned to the creator of the process.

Based on the assignment, you can control which notifications are sent when a user task is activated. If the task is assigned to a group, a notification is sent only to the creator. If a specific user has been defined as the processor, notifications can be sent to both the creator and the processor.

When user task gets active:

- Send notification to creator
- Send notification to assignee


**Decisions**

To make it easier to create objects, decisions such as *Approve* or *Reject* can be enabled and added directly in the properties of the user tasks. Decisions are displayed as buttons in the header of the data sheet. When the user clicks a button, the relevant sequence flow is performed.

Manage decisions

Add decision


If you activate the *Manage decisions* checkbox, an exclusive gateway is added in the drawing area after the user task. The Properties dialog box for the task displays the default decisions *Forward*, *Approve*, and *Reject*. You can use these decisions, remove them (with the recycle bin icon), or add other decisions.



You assign the decisions to the sequence flows by connecting the exclusive gateway to the following elements.


### Default duration

You can also define a default duration in days for user tasks. The default duration is used to calculate the due date for the task.



### Description

Enter your notes in the description field so that you or your colleagues can track your decisions and thoughts on the workflow structure later.



### 3.2.4 Sending tasks

When a sending task becomes active in the workflow, the system sends an e-mail. The administrator selects a template for the e-mail in the properties dialog and specifies the recipient(s).

#### E-mail template

You create an e-mail template on a second tab of the Workflow Modeler, see chapter 3.1.2. How to create templates is explained in chapter 3.4.



The image shows a configuration dialog for an E-Mail task. It has a title bar 'E-Mail' and two main sections. The first section is 'Select E-mail Template', which is a dropdown menu. The second section is 'Recipients', which contains a list of recipients. In this example, one recipient 'John Public' is listed with a small person icon and a close button (an 'X' in a circle).


#### Recipients

Select one or more recipients of the e-mail.

### 3.2.5 Service tasks

#### Note

The service tasks are accessible in the interface from version 7.0. Note, however, that these service tasks can only be used to synchronize a job with a planning element in the *Marketing Planner* module. Contact your BrandMaker contact if you have any questions.



### 3.2.6 Event Throw Message

Event throw messages are used to trigger messages from one process to another process.




### 3.2.7 Event Catch Message

An event throw message is used in processes to catch messages from a parent process and trigger appropriate actions.



### 3.2.8 Sub-Actions

Sub-actions are actions independent of the central BPMN workflow that are executed in parallel.



### 3.2.9 Gateways

Gateways are used to control the process sequence: If the condition is true, the process takes the appropriate course. The available gateways are described below. For information about setting up conditions with gateways, see chapter 3.5.

#### Exclusive (OR)

All the conditions are evaluated but only one condition can be true; therefore, only one sequence flow is performed. The conditions can be established using user decisions or *Number* or *Single select*-type variables.



#### Inclusive (AND)

All the conditions are evaluated and anything from one condition to all the conditions can be true; each sequence flow with a true condition is performed. The conditions can be established using *Multiselect*-type variables.



## Parallel

All the subsequent sequences are performed; conditions are therefore not required.




### Parameters

You can enter a name for the gateways in the Properties dialog box. Other settings are based on the conditions that you establish. For more information, see chapter 3.5.

## 3.2.10 Sequence flow

A sequence flow connects tasks, gateways, and events and creates the process flow between the start and end element. Conditions for decisions at gateways are also described on the sequence flows.



### Default sequence flow

For sequence flows departing from a gateway, you have the option to specify a default sequence flow. The default sequence flow is executed if none of the conditions for other sequence flows are met.


How to set a default sequence flow is described in Chapter 3.3.2.

### Parameters

In the case of sequence flows that connect exclusive and inclusive gateways with subsequent elements, you define the decisions in the Properties dialog box.

## 3.2.11 Comments

You can use comments to add details about the elements in the process.



### Parameters

You can also enter the comment in the properties dialog.



## 3.3 Creating a BPMN workflow

This chapter describes how you create BPMN workflows using the Workflow Modeler.

### Attention!

Please note that you have to fix all formal errors before you can publish a newly created or modified BPMN workflow. Publishing with formal errors can permanently damage the job type.

### 3.3.1 Adding elements

You can add a start or end event, a user task, or a gateway in two ways:

#### Toolbar

1. Click the relevant icon in the toolbar.
2. Click the point in the drawing area at which you want to add the element.

The element is added.


#### Adding related elements

You use this option when you want to add elements that are directly related to one another.

Prerequisite: You have already added one element. This element must be before the element to be added in the process sequence.

1. Click the added element after which you want to add a related element.

A toolbar is displayed to the right of the element:



2. In the toolbar, click the symbol for the next element.

The selected element is added. It is connected to the previous element through a sequence flow.

### 3.3.2 Connecting elements

Once you have positioned elements, you must connect them using sequence flows. Please refer to the following sections, which explain how to connect using the toolbar or using elements that have already been inserted. In addition, you can define a default sequence flow for sequence flows that leave from a gateway, see the last section.

#### Toolbar


1. In the toolbar, click the symbol for sequence flows.
2. In the drawing area, click the element at which the sequence flow starts.
3. In the drawing area, click the element at which the sequence flow ends.

The sequence flow connects the elements.

#### On elements that have been added already

1. Click an element that you have already added to the drawing area.

A toolbar is displayed to the right of the element:



2. Click the sequence flow symbol.
3. Click the element to which you want to connect the starting element.

The sequence flow connects the elements.


#### Set default sequence flow


##### Note

You can only set a default sequence flow that originates from a gateway.

1. Click the sequence flow you want to set as default.

The icon  is displayed on the frame of the sequence flow.

2. Click >  > *Default flow*.



You have set the sequence flow as the default sequence flow.

### 3.3.3 Positioning elements

To display elements in a clear way, you can reposition the elements on the diagram.

#### Note

If you move connected elements, the connections are not removed; instead, they are updated and adapted to the desired position.

#### Positioning an individual element

1. Click the element and hold the mouse button.
2. Drag the element to the desired position and release the mouse button.

You have positioned the element.

#### Positioning multiple elements

1. Hold down the CTRL key and click the elements that you want to move together.


The elements are highlighted together.

2. Click one of the highlighted elements and hold down the mouse button.
3. Drag the elements to the desired position and release the mouse button.

You have positioned the elements.


#### Positioning an area

If you want to position an area of the diagram containing several elements, proceed as follows.

1. In the toolbar, click the  symbol.
2. Click the drawing area and hold down the mouse button to select the area that you want to position.
3. Click one of the highlighted elements and hold down the mouse button.
4. Drag the elements to the desired position and release the mouse button.

You have positioned the elements.

### Adding/removing space

1. In the toolbar, click the  symbol.
2. On the drawing area, click a position where you want to add or remove space and hold down the mouse button.
3. Move the cursor horizontally or vertically.

#### Note

Depending on the use of the function, you can remove or add space only in one direction.

The space is added or removed.

### 3.3.4 Editing elements

To edit elements, you open the Properties dialog box and edit the properties there. To do so, click an element. The Properties dialog box is then displayed to the right of the drawing area. You may have to expand the dialog box.

#### Editing multiple user tasks

You can select multiple user tasks at the same time and assign them to a user or user group for editing.

1. Hold down the CTRL key and click the user tasks that you want to edit simultaneously.

You have selected the user tasks. The fields for the assignment are displayed in the Properties dialog box.

2. Assign the tasks. For information about performing the assignment, see chapter 0.

You have assigned multiple user tasks simultaneously.

#### Changing the gateway type

##### Note

If you have created conditions for a gateway, the options for changing the gateway type may be limited.


When you add a gateway, you always add an exclusive gateway to start with. To get a parallel or inclusive gateway, you have to change the gateway type.

1. Click the gateway whose type you want to change.

A toolbar is displayed to the right of the element:

2. Click the  symbol.

A picklist is displayed:



3. Select the type.

You have changed the gateway type.

### 3.3.5 Deleting elements


#### Note

If you have rejected decisions for a gateway, the gateway can no longer be deleted. To delete the gateway, you must first remove the subsequent user tasks.

#### Deleting an individual element

1. Click the element.

A toolbar is displayed to the right of the element:



2. Choose:
3. Click the Recycle bin icon.
4. Click the Delete key on your PC keyboard.


The element is deleted.

#### Deleting multiple elements

1. Hold down the CTRL key and click the elements that you want to delete.
2. Press the Delete key.

The elements are deleted.

#### Deleting the elements in an area

1. In the toolbar, click the  symbol.
2. Click the drawing area and hold down the mouse button to select the area that you want to delete.
3. Press the Delete key.

The elements are deleted.

#### Deleting all the elements

1. In the Workflow Modeler, click the *Delete diagram* button in the bottom right corner.

All the elements are deleted. You must completely set up the whole workflow again.

## 3.4 E-Mail templates

### 3.4.1 Creating an e-mail template

1. Switch to the *E-Mail Templates* tab in the editor.
2. Enter a subject. The subject is used as name for the English version and the template.
3. Enter the content for the English variant.
4. Click *Create template*.

The English variant is created.

5. Click on the German variant on the left.
6. Enter the German subject.
7. Enter the content for the German variant.
8. Click *Create template*.

You have created the e-mail template.

### 3.4.2 Editing an e-mail template

1. Switch to the *E-Mail Templates* tab in the editor.
2. Select the template you want to edit.
3. select the language variant you want to edit.
4. Optional: Edit the subject.
5. Optional: Edit the content of the template.
6. Click *Save Changes*.
7. Optional: Repeat steps 3 to 6 for other language variants.

You have edited the e-mail template.

### 3.4.3 Deleting a German e-mail template

Currently, you can only delete the German version of an e-mail template.

1. Switch to the *E-Mail Templates* tab in the editor.
2. Select the template whose German variant you want to delete.
3. Click the recycle bin icon for the German variant.


You have deleted the German version of the e-mail template.

## 3.5 Establishing conditions

This chapter explains how to establish conditions using exclusive or inclusive gateways.

### 3.5.1 Exclusive gateway: Using a number

You want to establish a condition in which a number is evaluated, such as:



#### Prerequisites

- You have assigned a number variable to the type (see chapter 4.1.17).
- You have added an exclusive gateway to the workflow.

#### Setting up a condition

1. Click the gateway.
2. In the Properties dialog box, activate the function *Use number to build conditions*.
3. In the picklist below that, select the variable that you want to use to create the condition.
4. Select all the outgoing sequence flows one after the other and enter the operator and value of the number variables in the Properties dialog box.

#### Note

Negative numbers are permitted.


If the number ranges for the various sequence flows overlap, the Workflow Modeler reports an error.

You have set up the condition.



### 3.5.2 Exclusive gateway: Using a custom structure

You want to establish a condition in which the selection is evaluated in a list. In this case, only one path is permitted to be executed.



#### Prerequisites

- You have assigned a single select variable to the type (see chapter 4.1.6). A custom structure is assigned to the variable.
- You have added an exclusive gateway to the workflow.

#### Setting up a condition

1. Click the gateway.
2. In the Properties dialog box, activate the function *Use structured list to build conditions*.
3. In the picklist below that, select the variable that you want to use to create the condition.
4. Select all the outgoing sequence flows one after the other and enter the list value with which the applicable path is to be executed in the Properties dialog box.


#### Note

If not all the list values are assigned to a sequence flow, the Workflow Modeler reports an error.

You have set up the condition.

### 3.5.3 Inclusive gateway: Using a custom structure

You want to establish a condition in which the selection is evaluated in a list. In this case, multiple paths are allowed to be executed.



#### Note

Processes are shown in the module's Kanban representation in read-only mode. This means that they cannot be dragged and dropped into another workflow step. The datasheet, on the other hand, can also be opened and edited in the Kanban view.

#### Prerequisites

- You have assigned a multiselect variable to the type (see chapter 4.1.6). A custom structure is assigned to the variable.
- You have added an inclusive gateway to the workflow.

#### Setting up a condition

1. Click the gateway.
2. In the Properties dialog box, activate the function *Use structured list to build conditions*.
3. In the picklist below that, select the variable that you want to use to create the condition.
4. Select all the outgoing sequence flows one after the other and enter at least one list value with which the applicable path is to be executed in the Properties dialog box.


#### Note

If not all the list values are assigned to a sequence flow, the Workflow Modeler reports an error.

You have set up the condition.

## 3.6 Simplified view

You can use the simplified view to display the status of the job or data object in the workflow on the data sheet. In this case, you assign one or more user tasks to a process step. These process steps are displayed sequentially in the data sheet of a job or data object and show the progress made in the workflow:



### Prerequisite

- You have added at least one user task on the drawing area.

### Configuring the simplified view


- Click the drawing area.  
The Properties dialog box for the workflow is displayed.
- Activate the *Use simplified view* checkbox.
- Enter a name for the workflow step in the *Enter new step name* field. Press the Enter key.  
The step has been created.
- Optional: Click the colored field next to the step name and select a different color.
- Select the tasks that you want to assign to the step.
- In the Properties dialog box, select the step in the *Select step from simplified view* picklist.
- Repeat steps 3 to 6 until all the required workflow steps are created and all the user tasks are assigned to a step.


#### Note

If you are using the simplified view, the Workflow Modeler checks whether all the work steps in the view are assigned.

You have set up the simplified view.

### 3.7 Setting up visibility and editability

You set up the visibility of tabs of the datasheet and individual variables in the editor for processes. Click  to open the dialog box for access rights. You can reach the icon in the Workflow Modeler in the Properties dialog box when you select either the workflow or a user task. Depending on what you activate, you either set up the visibilities for the overall workflow or the corresponding user task.



At the top of the dialog, first select the user role for which you want to set visibility. Then activate the visibility of the datasheet tabs below. For the visible tabs, you can then specify for the variables whether they are visible, editable, or a required field.

When you set up the visibilities of a user task, you can also define a default tab. The default tab is displayed directly when you open the datasheet. To set a tab as default, click the star icon to the right of the tab name.

If you are editing a process with several variables, you can search for variables in the right pane above the list of variables.

### 3.8 Monitoring

Administrators can access an overview of the running BPMN processes under *> Administration > Datasheet Engine > BPMN Monitoring*.

| BPMN WORKFLOWS STATISTICS AND MONITORING |               |                    |                  |
|--|---------------|--------------------|------------------|
| Active jobs ↓                            | Active step   | Workflow name      | Version          |
| 2  | Prepare audio | ParallelGateway    | 25.06.2020 16:06 |
| 2  | Approve       | ExclGatAndDecision | 25.06.2020 17:06 |
| 2  | step 1        | SimpleView         | 29.06.2020 10:06 |
| 2  | Approve       | ExclGatAndDecision | 30.06.2020 09:06 |
| 1  | Prepare video | ParallelGateway    | 25.06.2020 16:06 |

The table lists the ongoing processes by amount and active step. It also lists the name and version of the type. When you click the type name, the version history of the workflow opens:

BACK

### BPMN WORKFLOW "EXCLGATANDDECISION" : VERSION HISTORY

| Version ↓        | Active jobs |
|------------------|-------------|
| 14.07.2020 03:07 | 1           |
| 07.07.2020 03:07 | 14          |
| 30.06.2020 09:06 | 3           |
| 26.06.2020 04:06 | 1           |
| 25.06.2020 17:06 | 2           |

When you click the *Version* column, the workflow is displayed with a superimposed thermal image:

BACK

### BPMN WORKFLOW "EXCLGATANDDECISION" V. 07.07.2020 03:07

| Active step  | Active jobs |
|--------------|-------------|
| Approve      | 7           |
| Create audio | 3           |

The closer the color is to red, the more processes there are in the applicable process step. Steps that currently do not have a process are displayed without a color.

## 4 Available variables

Different variable types are used to allow you to group together and output data and information on a data sheet. The variables are placed on a data sheet using drag and drop.

There are two different types of variables:

- System variables that allow you to use the basic functions, for example, for displaying the creator or the current workflow step. When you create a type, system variables are created and - if absolutely necessary - placed on the data sheet automatically.
- Custom variables (text fields, selection fields, or an asset selector, for example) can be created as required.

**Note:** When you create a variable, fields that are mandatory are flagged with a \* on the interface.

### 4.1 Custom variables

#### 4.1.1 Action

You can use an action button variable to integrate a button that opens a URL on the data sheet. The processor of the data sheet can use the button to access programming that is generally customer-specific.

| Name                               | Description  |
|------------------------------------|--|
| <i>Unique name, technical name</i> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>For details see chapter 1.1.</p>          |
| <i>Display Name</i>                | <p>Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.</p> <p>For details see chapter 1.1.</p> |
| <i>URL</i>                         | URL that is opened when you click the button.  |
| <i>Help text</i>                   | Enter the help text that can be displayed for a user.  |

### 4.1.2 User

You can use the *User* variable to ensure that the user can select a system user on the data sheet. If necessary, you can limit the selection to users in a user group.

| Name                               | Description  |
|------------------------------------|--|
| <i>Unique name, technical name</i> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>For details see chapter 1.1.</p>  |
| <i>Display Name</i>                | <p>Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.</p> <p>For details see chapter 1.1.</p>   |
| <i>User group</i>                  | <p>Define a user group. Once you make a selection, the processor can only select users from this group on the data sheet. If you do not define a group, the user can choose from all the available users.</p>  |
| <i>Default value</i>               | <p>Enter the value to use as the default for the field.</p> <p><b>Note:</b> Note that the default value is adopted only when you create an object (data object or job). Changing the default value does not have any effect on objects that were created already.</p>  |
| <i>Help text</i>                   | <p>Enter the help text that can be displayed for a user.</p>   |
| <i>Visibility</i>                  | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the selection field only after a user has selected a specific value for a different selection field on the data sheet.</p> |

### 4.1.3 Description text

Use a *Description text* to enter additional information on a data sheet, for example.

| Name                               | Description  |
|------------------------------------|--|
| <i>Unique name, technical name</i> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See Display, technical, and unique name see page 8.</p>   |
| <i>Text</i>                        | <p>This displays the title used to display the headline text on the data sheet. You can create any language versions that are required.</p> <p>The text is used as the display name in the system; see Display, technical, and unique name see page 8.</p> |
| <i>Visibility</i>                  | <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the field only after a user has selected a specific value for a different selection field on the data sheet.</p>  |
| <i>Variable</i>                    | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the dropdown list upon whose value you want to make the visibility dependent.</p>                              |
| <i>Value*</i>                      | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>  |

Using a description text  **Select themes**

you can place additional information for the user on a data sheet. Select in the right column a topic:



#### 4.1.4 Datepicker with/without time

Use the *Datepicker* variable to create a date field with a date picker on the data sheet. The variable *Datepicker with time* also provides an additional field for the time.

The following parameters are provided when you create or change the variables:

| Name  | Description  |
|---|--|
| <i>Unique name</i><br><i>Technical Name</i> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See Display, technical, and unique name see page 8.</p>   |
| <i>Name displayed</i>                       | <p>Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.</p> <p>See Display, technical, and unique name see page 8.</p>  |
| <i>For all types</i>                        | <p>Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.</p> <p>See Grouping variables see page 34.</p>   |
| <i>Validity</i>                             | <p>Select the checkbox <i>Allow only valid dates</i> to define conditions for the date selection validity.</p>   |
| <i>Number of offset days</i>                | <p><b>Note:</b> This is visible only if the <i>Validity</i> checkbox is activated.</p> <p>Specify the minimum number of days into the future the date must be in relation to the <i>Reference</i> date.</p>  |
| <i>Reference</i>                            | <p><b>Note:</b> This is visible only if the <i>Validity</i> checkbox is activated.</p> <p>Define the date to which the Number of offset days refers. Choose:</p> <ul style="list-style-type: none"> <li>• <i>Creation date</i></li> <li>• <i>Current date</i></li> <li>• <i>Transfer date from initial creation to any other workflow step</i></li> </ul>  |
| <i>Help text</i>                            | <p>Enter the help text that can be displayed for a user.</p>   |
| <i>Shared value</i>                         | <p><b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).</p> <p><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!</p> <p>Activate the checkbox if you want the variable value to receive the same value in each localized data object version.</p> |

| Name                                    | Description   |
|---|---|
| <i>Inherit from parent</i>              | <p><b>Note:</b> This is visible only if the type permits inheritance (<i>Inheritance</i> dropdown list = <i>Multiple parents</i>).</p> <p>Activate this checkbox if you want the data record to adopt the values of a parent job or data object as a sub-job or sub data object.</p> <p><b>Note:</b> The variables must have identical display names.</p> |
| <i>Prefilling from custom structure</i> | <p><b>Note:</b> This option can only be used for the <i>Datepicker</i> variable.</p> <p>Select an existing custom structure and a created attribute whose values you want to use to prefill the date picker.</p>  |

Use a description field to provide additional information.  
**Please select a media object or a locally stored image from the right column**

Medienobjekt wählen:

Datepicker:

Datepicker with time:  :  :  time

### 4.1.5 Document Selector

Use a *Document Selector* to make the *Select from Brand Template Builder* button available on a data sheet. Users can use this button to open a search in *Brand Template Builder* module and add a document (finalized or still in progress) to the data sheet.


A document that is still in progress can be loaded to the document wizard for further processing directly from the data sheet. Users can open the detailed view of a finalized document and call additional functions (to adjust it to suit their own purposes, for example).

**Note:** Which documents in *Brand Template Builder* module can be selected and edited is determined by the authorizations of the user.

The following parameters are provided when you create or change the variables:

| Name  | Description  |
|---|--|
| <i>Unique name</i><br><i>Technical Name</i> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See Display, technical, and unique name see page 8.</p>   |
| <i>Display name*</i>                        | <p>Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.</p> <p>See Display, technical, and unique name see page 8.</p>  |
| <i>Type spanning</i>                        | <p>Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.</p> <p>See Grouping variables see page 34.</p>   |
| <i>Help text</i>                            | <p>Enter the help text that can be displayed for a user.</p>   |
| <i>Shared value</i>                         | <p><b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).</p> <p><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!</p> <p>Activate the checkbox if you want the variable value to receive the same value in each localized data object version.</p> |
| <i>Inherit from parent</i>                  | <p><b>Note:</b> This is visible only if the type permits inheritance (<i>Inheritance</i> dropdown list = <code>Multiple parents</code>).</p> <p>Activate this checkbox if you want the data record to adopt the values of a parent job or data object as a sub-job or sub data object.</p> <p><b>Note:</b> The variables must have identical display names.</p>  |

| Name              | Description  |
|-------------------|--|
| <i>Visibility</i> | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the selection field only after a user has selected a specific value for a different selection field on the data sheet.</p> |
| <i>Variable*</i>  | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the selection field upon whose value you want to make the visibility dependent.</p>  |
| <i>Value*</i>     | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>  |



### 4.1.6 Single-select and multi-select

Use a *Singleselect* or *Multiselect* to allow users to select one or more predefined values.

#### Prerequisites:


- You require a custom structure that you can select as the data source.

The following parameters are provided when you create or change the variables:

| Name  | Description  |
|---|--|
| <i>Unique name</i><br><i>Technical Name</i> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See Display, technical, and unique name see page 8.</p>   |
| <i>Name displayed</i>                       | <p>Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.</p> <p>See Display, technical, and unique name see page 8.</p>  |
| <i>Type spanning</i>                        | <p>Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.</p> <p>See Grouping variables see page 34.</p>   |
| <i>Style</i>                                | <p>You can define the layout for the selection field.</p> <p><i>Singleselect:</i></p> <ul style="list-style-type: none"> <li><i>Dropdown:</i> This creates a dropdown list.</li> <li><i>OptionBoxArea:</i> This creates an option box.</li> <li><i>OptionBoxAreaWithImages:</i> This creates an option box. The existing preview images for the custom structure can be displayed.</li> </ul> <p><i>Multiselect:</i></p> <ul style="list-style-type: none"> <li><i>Selection Box:</i> This creates a selection list.</li> <li><i>OptionBoxArea:</i> This creates an option box.</li> <li><i>OptionBoxAreaWithImages:</i> This creates an option box. The existing preview images for the custom structure can be displayed.</li> </ul> |
| <i>Data source</i>                          | <p>Select an existing custom structure as data source for the values of the selection field.</p>   |

| Name                                 | Description  |
|--------------------------------------|--|
| <i>Dependent on parent selection</i> | <p><b>Note:</b> Only visible if there is a single selection of the <i>Dropdown</i> type or a multiple selection of the <i>Selection Box</i> type and if a parent selection has already been created on the data sheet.</p> <p>Activate the checkbox if the display of the selections in this field depends on the setting in another selection field, for example the display of street names on the selection of a town in another selection field.</p> |
| <i>Parent selection</i>              | <p><b>Note:</b> This is visible only if the <i>Dependent on parent selection</i> checkbox is activated.</p> <p>Select the parent field containing the setting that the displayed values of the selection depend on.</p>  |
| <i>Help text</i>                     | Enter the help text that can be displayed for a user.  |
| <i>Shared value</i>                  | <p><b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).</p> <p><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!</p> <p>Activate the checkbox if you want the variable value to receive the same value in each localized data object version.</p>           |
| <i>Inherit from parent</i>           | <p><b>Note:</b> This is visible only if the type permits inheritance (<i>Inheritance</i> dropdown list = <code>Multiple parents</code>).</p> <p>Activate this checkbox if you want the data record to adopt the values of a parent job or data object as a sub-job or sub data object.</p> <p><b>Note:</b> The variables must have identical display names.</p>  |
| <i>Default value</i>                 | <p>Enter the value to use as the default for the field.</p> <p><b>Note:</b> Note that the default value is adopted only when you create an object (data object/job). Changing the default value does not have any effect on objects that were created already.</p>   |
| <i>Visibility</i>                    | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the selection field only after a user has selected a specific value for a different selection field on the data sheet.</p>   |
| <i>Variable*</i>                     | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the selection field upon whose value you want to make the visibility dependent.</p>  |

| Name          | Description   |
|---------------|---|
| <i>Value*</i> | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p> |



The screenshot shows a user interface for configuring a multi-selection selection. On the left, there is a label "Multi-Selection Selection" and a "Box:" label. Below the label is a scrollable list box containing four items: "135g glänzend", "135g matt", "150g natur", and "170g glänzend". The item "150g natur" is currently selected and highlighted in dark blue. To the right of the list box is a "Checkbox Multi-Selection:" label, followed by three unchecked checkboxes with corresponding labels: "Baden-Baden", "Karlsruhe", and "Oberbingen".

### 4.1.7 Single line and Multiline input area

Use single input line and/or multiline input area *text fields* to allow users to enter text on the data sheet.

**Note:** You can enter a maximum of approximately 500,000 characters in a multiline input area.

The following parameters are provided when you create or change the variables:

| Name  | Description  |
|---|--|
| <i>Unique name</i><br><i>Technical Name</i> | <b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.<br><br>See Display, technical, and unique name see page 8.  |
| <i>Name displayed</i>                       | Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.<br><br>See Display, technical, and unique name see page 8.   |
| <i>Type spanning</i>                        | Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.<br><br>See Grouping variables see page 34.  |
| <i>Max. Characters</i>                      | Define the maximum number of characters that can be entered in the field.  |
| <i>Columns Visible</i>                      | <b>Note:</b> Visible only for multiline input areas.<br><br>You can define the width of the input area by specifying the number of columns.  |
| <i>Lines Visible</i>                        | <b>Note:</b> Visible only for multiline input areas.<br><br>You can define the height of the input area by specifying the number of lines.   |
| <i>Complete width</i>                       | <b>Note:</b> This is visible only for multiline input areas.<br><br>Activate this checkbox to utilize the entire width of the data sheet for the input area in a one-column layout. If you activate this checkbox, leave the <i>Columns Visible</i> field empty. |
| <i>Allow formatting</i>                     | <b>Note:</b> Visible only for multiline input areas. This checkbox can only be activated while you create the variables.<br><br>This displays a rich-text editor that allows users to format the text (for example, bold, italics, underline, and so on).        |



| Name                        | Description  |
|-----------------------------|--|
| <i>Editor configuration</i> | <p><b>Note:</b> This is visible only for multiline input areas and if the <i>Allow formatting</i> checkbox is activated.</p> <p>You can select an editor configuration from the selection list. This allows you to define which formatting the user can use in the text field. For more information, see the configuration manual.</p>   |
| <i>Reg. Exp. Validator</i>  | <p><b>Note:</b> Visible only for single input lines.</p> <p>Enter a regular expression in the field to check the entry for validity. For example, you can then ensure that bank codes or e-mail addresses have been entered in a specific format.</p>  |
| <i>Input Size</i>           | <p><b>Note:</b> Visible only for single input lines.</p> <p>Defines the maximum number of characters displayed. If more characters are entered, the field gets a scroll bar.</p>   |
| <i>Suffix</i>               | <p><b>Note:</b> Visible only for single input lines.</p> <p>You can enter a suffix (<i>Millimeter</i> or <i>%</i>, for example) that is attached to the field.</p>   |
| <i>Help text</i>            | <p>Enter the help text that can be displayed for a user.</p>   |
| <i>Shared value</i>         | <p><b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).</p> <p><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!</p> <p>Activate the checkbox if you want the variable value to receive the same value in each localized data object version.</p> |
| <i>Inherit from parent</i>  | <p><b>Note:</b> This is visible only if the type permits inheritance (<i>Inheritance</i> dropdown list = <i>Multiple parents</i>).</p> <p>Activate this checkbox if you want the data record to adopt the values of a parent job or data object as a sub-job or sub data object.</p> <p><b>Note:</b> The variables must have identical display names.</p>  |
| <i>Default value</i>        | <p>Enter the value to use as the default for the field.</p> <p><b>Note:</b> Note that the default value is adopted only when you create an object (data object/job). Changing the default value does not have any effect on objects that were created already.</p>   |

| Name                                    | Description  |
|---|--|
| <i>Prefilling from custom structure</i> | <p>Select a custom structure and a defined attribute of this structure.</p> <p>By choosing <i>Key</i>, you can configure the pre-assignment of a value based on the branch number of the current user or on the name of the user. In the process, the unique names of the custom objects must match the branch number or the user name.</p> <p>You can use the option <i>Overwrite with</i> to link the display in the text field to a single selection that is connected to the same custom structure: In the single selection, you choose one of the custom objects (for instance, the branch office). The text field is linked to the attribute <i>Address</i>. If a different affiliate is set in the single selection, the corresponding address is automatically displayed in the text field.</p> <p>If you activate the checkbox <i>Activate a fixed connection to the selected "custom object"</i>, the text field content is updated automatically if the custom structure is changed at a central location. Note that to do so, a value must be selected in the <i>Override with</i> selection list.</p> |
| <i>Visibility</i>                       | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the field only after a user has selected a specific value for a selection field on the data sheet.</p>   |
| <i>Variable</i>                         | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the selection field upon whose value you want to make the visibility dependent.</p>  |
| <i>Value</i>                            | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>  |



### 4.1.8 Enter multiple values


Use the variable *Multiple values inputlines* to place a field for two related values (height and width, for example) next to each other on a data sheet.

The following parameters are provided when you create or change the variables:

| Name  | Description   |
|---|---|
| <i>Unique name</i><br><i>Technical Name</i> | <b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.<br><br>See Display, technical, and unique name see page 8.   |
| <i>Name displayed</i>                       | Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.<br><br>See Display, technical, and unique name see page 8.  |
| <i>Type spanning</i>                        | Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.<br><br>See Grouping variables see page 34.   |
| <i>Shared value</i>                         | <b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).<br><br><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!<br><br>Activate the checkbox if you want the variable value to receive the same value in each localized data object version. |
| <i>Percentage</i>                           | Distribute the width of both input fields in percentage to the total width of the data sheet.   |
| <i>Max. Characters</i>                      | Define the maximum number of characters that can be entered in the field.   |
| <i>Reg. Exp. Validator</i>                  | Enter a regular expression in the field to check the entry for validity. For example, you can then ensure that bank codes or e-mail addresses have been entered in a specific format.   |
| <i>Input Size</i>                           | Define the width of the variables. If so many characters are entered that cannot be displayed in the configured width, the field is provided with a scroll bar.   |
| <i>Suffix</i>                               | You can enter a suffix ( <i>Millimeter</i> or <i>%</i> , for example) that is attached to the field.  |
| <i>Help text</i>                            | Enter the help text that can be displayed for a user.   |

| Name                       | Description   |
|----------------------------|---|
| <i>Inherit from parent</i> | <p><b>Note:</b> This is visible only if the type permits inheritance (<i>Inheritance</i> dropdown list = <i>Multiple parents</i>).</p> <p>Activate this checkbox if you want the data record to adopt the values of a parent job or data object as a sub-job or sub data object.</p> <p><b>Note:</b> The variables must have identical display names.</p> |
| <i>Default value</i>       | <p>Enter the value to use as the default for the field.</p> <p><b>Note:</b> Note that the default value is adopted only when you create an object (data object/job). Changing the default value does not have any effect on objects that were created already.</p>  |
| <i>Visibility</i>          | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the field only after a user has selected a specific value for a selection field on the data sheet.</p>  |
| <i>Variable*</i>           | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the selection field upon whose value you want to make the visibility dependent.</p>   |
| <i>Value*</i>              | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>   |

Document Selector: Select from Web-To-Print



Multiple values inputlines:

mm                      mm

### 4.1.9 Combobox

Use a *Combobox* to combine the features of a *Singleselect* and *Single inputline* with each other. In a combo box, users can:

- Select from values that are defined as a data source using a custom structure.

**Note:** Stored values are proposed using the AutoComplete.

- Enter other values that are different from the stored values if required.


#### Prerequisites:

- You require a custom structure that you can select as the data source.

The following parameters are provided when you create or change the variables:

| Name  | Description   |
|---|---|
| <i>Unique Name</i><br><i>Technical Name</i> | <b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.<br><br>See Display, technical, and unique name see page 8.   |
| <i>Name displayed</i>                       | Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.<br><br>See Display, technical, and unique name see page 8.  |
| <i>Type spanning</i>                        | Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.<br><br>See Grouping variables see page 34.   |
| <i>Data Source*</i>                         | Select an existing custom structure as data source for the values of the selection field.   |
| <i>Help text</i>                            | Enter the help text that can be displayed for a user.   |
| <i>Shared value</i>                         | <b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).<br><br><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!<br><br>Activate the checkbox if you want the variable value to receive the same value in each localized data object version. |

| Name                       | Description   |
|----------------------------|---|
| <i>Inherit from parent</i> | <p><b>Note:</b> This is visible only if the type permits inheritance (<i>Inheritance</i> dropdown list = <i>Multiple parents</i>).</p> <p>Activate this checkbox if you want the data record to adopt the values of a parent job or data object as a sub-job or sub data object.</p> <p><b>Note:</b> The variables must have identical display names.</p> |
| <i>Default value</i>       | <p>Enter the value to use as the default for the field.</p> <p><b>Note:</b> Note that the default value is adopted only when you create an object (data object/job). Changing the default value does not have any effect on objects that were created already.</p>  |
| <i>Visibility</i>          | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the selection field only after a user has selected a specific value for a different selection field on the data sheet.</p>                            |
| <i>Variable*</i>           | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the selection field upon whose value you want to make the visibility dependent.</p>   |
| <i>Value*</i>              | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>   |




### 4.1.10 Link

You use a *Link* to create a reference to another page in the Marketing Efficiency Cloud (e.g. a Marketing Shop page) or an external website.

The following parameters are provided when you create or change the variables:

| Name   | Description   |
|--|---|
| <p><i>Unique name</i></p> <p><i>Technical Name</i></p> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See Display, technical, and unique name see page 8.</p>  |
| <p><i>Name displayed</i></p>                           | <p>Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.</p> <p>See Display, technical, and unique name see page 8.</p>   |
| <p><i>Type</i></p>                                     | <p>You can create two different types of link:</p> <ul style="list-style-type: none"> <li>• <i>Relative:</i> This creates a link to an existing page in the Marketing Efficiency Cloud (for example, a Marketing Shop page. Do not enter the entire address as the link; instead, enter only the part that is relevant to the link. The "front" part of the link (the URL of your system) is generated and added automatically.</li> <li>• <i>Absolute:</i> This creates a link to an external web page.</li> </ul> |
| <p><i>Help text</i></p>                                | <p>Enter the help text that can be displayed for a user.</p>  |
| <p><i>URL</i></p>                                      | <p>Enter the address of the (web) page for which you want to create a link.</p> <p><b>Note:</b> You must enter the full address for an external web page (including "http://" or "https://").</p>   |
| <p><i>Visibility</i></p>                               | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the selection field only after a user has selected a specific value for a different selection field on the data sheet.</p>  |
| <p><i>Variable*</i></p>                                | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the selection field upon whose value you want to make the visibility dependent.</p>   |
| <p><i>Value*</i></p>                                   | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>   |



#### 4.1.11 Asset Selector

Use an *Asset Selector* to make the buttons *Upload new assets* and *Select from Media Pool* available on a data sheet. You can use the *Upload new assets* function to add both locally saved files and assets from a collection to the data sheet. You can also specify that assets are added to a data sheet automatically based on specific criteria.

**Note:** the assets that can be selected and edited are determined by the authorizations of the user.

The following parameters are provided when you create or change the variables:

| Name  | Description   |
|---|---|
| <i>Unique name</i><br><i>Technical Name</i> | <b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.<br><br>See Display, technical, and unique name see page 8.   |
| <i>Display name*</i>                        | Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.<br><br>See Display, technical, and unique name see page 8.  |
| <i>Type spanning</i>                        | Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.<br><br>See Grouping variables see page 34.   |
| <i>Help text</i>                            | Enter the help text that can be displayed for a user.   |
| <i>Shared value</i>                         | <b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).<br><br><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!<br><br>Activate the checkbox if you want the variable value to receive the same value in each localized data object version. |



| Name                                    | Description   |
|---|---|
| <i>Inherit from parent</i>              | <p><b>Note:</b> This is visible only if the type permits inheritance (<i>Inheritance</i> dropdown list = <i>Multiple parents</i>).</p> <p>Activate this checkbox if you want the data record to adopt the values of a parent job or data object as a sub-job or sub data object.</p> <p><b>Note:</b> The variables must have identical display names.</p>   |
| <i>Prefilling from custom structure</i> | <p>Select a custom structure and a created attribute.</p> <p>By choosing <i>Key</i>, you can configure the display of an asset based on the affiliate ID.</p> <p>You can use the option <i>Override with</i> to link the display of an asset to a single selection that is linked to the same custom structure: in the single selection, you choose one of the custom objects (for instance, the data object). The text field is linked to the attribute <i>Product image</i>. If a different data object is set in the single selection, the corresponding data object image is automatically displayed in the text field.</p> |
| <i>Select media automatically</i>       | <p>Activate this checkbox to add assets with the following properties to a data sheet automatically:</p> <ul style="list-style-type: none"> <li>• <i>Show all assets with the same 'Item Number'</i></li> <li>• <i>Show all media that include ID in 'free text field':</i> Specify the free text field in which the job ID or data object ID must be entered.</li> </ul> <p><b>Note:</b> If one of these options is activated, users cannot select assets manually.</p>  |
| <i>Free text field</i>                  | <p><b>Note:</b> This can only be used when the checkbox <i>Show all media that include ID in 'free text field'</i> is activated.</p> <p>You can specify the free text field in which the job ID or data object ID must be entered.</p>  |
| <i>Visibility</i>                       | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the variable only after a user has selected a specific value for a different selection field on the data sheet.</p>   |
| <i>Variable*</i>                        | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the selection field upon whose value you want to make the visibility dependent.</p>   |

| Name          | Description   |
|---------------|---|
| <i>Value*</i> | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p> |

#### 4.1.12 Advanced Grid

Use a *Advanced Grid* to place information or input fields clearly on the data sheet. The variables selected for the advanced grid are displayed as the grid columns. You can group the following variable types together in an advanced grid:

- *Single inputline*
- *Date picker*
- *Single select*
- *Reference/Relation*
- *Relation*: Use a *Relation* to connect a specific variable from a different data sheet (an Asset Selector, for example).

**Note:** Note that you can only add a *Relation* if you have already created a *Relation* variable in the table.

- *Organizational units*

**Note:** You can only add the *Organizational units* variable type to the advanced grid once. If you add other variable types, the *Organizational units* entry is no longer displayed for selection.

- *Multiline input area*
- *Asset Selector*
- *Multiselect*
- *Combobox*

The following parameters are provided when you create or change the variables:


| Name   | Description  |
|--|--|
| <p><i>Unique name</i></p> <p><i>Technical Name</i></p> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See Display, technical, and unique name see page 8.</p> <p><b>Note:</b> If you want the values of a parent table to be inherited by the table, the technical name of the parent and child tables must be identical.</p> |

| Name                                      | Description  |
|---|--|
| <i>Name displayed</i>                     | <p>Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.</p> <p>See Display, technical, and unique name see page 8.</p>  |
| <i>Max. No. of rows</i>                   | <p>Define how many maximum rows the table can contain.</p>   |
| <i>Table height</i>                       | <p>Enter the table height in pixels.</p>   |
| <i>Complete width</i>                     | <p>Activate this checkbox to utilize the entire width of the data sheet.</p> <p><b>Note:</b> If this checkbox is activated, the variable can only be placed on a one-column data sheet layout.</p>   |
| <i>Records per page</i>                   | <p>Define with how many records per page the table is paginated: 10, 20, 50 or 100 records per page or without pagination.</p> <p><b>Note:</b> Note that the performance for displaying large tables with pagination improves considerably.</p>  |
| <i>Prefill from parent</i>                | <p>Activate this checkbox if you want the table to be filled by a table in a higher-level job or data object.</p> <p>The user can edit the table in the child job or child data object and delete and add data records. The user can also refresh the data filled by the parent element. All changes are lost in this case.</p> <p><b>Note:</b> For a successful inheritance, the parent and child tables must have an identical technical name.</p> |
| <i>Help text</i>                          | <p>Enter the help text that can be displayed for a user.</p>   |
| <i>Shared value</i>                       | <p><b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).</p> <p><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!</p> <p>Activate the checkbox if you want the variable value to receive the same value in each localized data object version.</p>       |
| <input type="button" value="Create new"/> | <p>You can add an additional variable to the grid.</p>   |
| <i>Variables</i>                          | <p>Your selected variables are listed in the <i>Variables</i> area. You can:</p> <ul style="list-style-type: none"> <li>• Change the order of the variables.</li> <li>• Open a variable for editing.</li> <li>• Copy a variable.</li> <li>• Delete a variable and remove it from the table.</li> </ul>   |

Type Grid


Unique Name\*

Technical Name\*





Display name\*  

Max. No. of rows

Complete width

Help text  

Variables\*:

| Name  | Technical Name   | Variable Type        | Custom Object Source | Edit  |
|---|------------------|----------------------|----------------------|---|
|  Province          | bundesland       | Single inputline     |                      | <input type="button" value="up"/> <input type="button" value="down"/> <input type="button" value="edit"/> <input type="button" value="copy"/> <input type="button" value="delete"/> |
|  Your division     | ihre_abteilung   | Organizational units |                      | <input type="button" value="up"/> <input type="button" value="down"/> <input type="button" value="edit"/> <input type="button" value="copy"/> <input type="button" value="delete"/> |
|  Your store        | ihre_filiale     | Combobox             |                      | <input type="button" value="up"/> <input type="button" value="down"/> <input type="button" value="edit"/> <input type="button" value="copy"/> <input type="button" value="delete"/> |
|  Your product line | ihre_produklinie | Relation             |                      | <input type="button" value="up"/> <input type="button" value="down"/> <input type="button" value="edit"/> <input type="button" value="copy"/> <input type="button" value="delete"/> |
| media   | media            | Relation property    |                      | <input type="button" value="up"/> <input type="button" value="down"/> <input type="button" value="edit"/> <input type="button" value="copy"/> <input type="button" value="delete"/> |

### 4.1.13 Comfort Grid

Users can also use the comfort grid to enter data in a clear tabular form. When users fill in the grid on the data sheet, numerous keyboard shortcuts in particular make editing easier. Please refer to the user manuals for details.

#### 4.1.13.1 Data Types

You can use the following data for a comfort grid:

- One-line text field
- Numbers
- Single select: selection of a value from a structured list.
- Date
- Formula, for details see chapter

Numerical and date values are displayed and entered localized according to the selected UI language:

| NAME OF BROCHURE | DATE OF PRINT | PRINT COLORS                    | NUMBER OF COPIES |
|------------------|---------------|---------------------------------|------------------|
| Product X        | 04/16/2020    | 4 colours (Euro Scale)          | 1,000            |
| Product Serie YY | 04/21/2020    | 2 colours (Black + spot colour) | 2,000            |
| Service Z        | 04/30/2020    | Black and white                 | \$00             |

#### 4.1.13.2 Summary row

You can set up a summary for each table variable in the footer of the table. To do this, enter a name and select one of the following functions:

- SUM(): Sum of all numbers in the column
- AVERAGE(): arithmetic mean of all numbers in the column
- MAX(): highest value in the column
- MIN(): lowest value in the column
- COUNT(): number of values in the column
- MIN\_OCCURRENCE(): Value that occurs least in the column.

##### Example

The column is a variable of type Single-Selection with the values A, B, C and D. The column contains 5 times A, 1 time B, 0 times C and 3 times D. The result in the footer is C (0).

If the result is not unique, several values are displayed separated by commas.

- MAX\_OCCURRENCE(): Value that occurs most frequently in the column.

##### Example

The column is a variable of type Single-Selection with the values A, B, C and D. The column contains 5 times A, 1 time B, 0 times C and 3 times D. The result in the footer is A (5).

If the result is not unique, several values are displayed separated by commas.

- MEDIAN(): Median of the values in the column
- DEVIATION(): Deviation, rounded to two decimal places
- VARIANCE(): Variance, rounded to two decimal places

You can combine the functions with table variable types as follows

|                  | Text | Date | Single Select | Number | Formula |
|------------------|------|------|---------------|--------|---------|
| SUM()            |      |      |               | ✓      | ✓       |
| AVERAGE()        |      |      |               | ✓      | ✓       |
| MAX()            |      | ✓    |               | ✓      | ✓       |
| MIN()            |      | ✓    |               | ✓      | ✓       |
| COUNT()          | ✓    | ✓    | ✓             | ✓      | ✓       |
| MIN_OCCURRENCE() |      | ✓    | ✓             | ✓      | ✓       |
| MAX_OCCURRENCE() |      | ✓    | ✓             | ✓      | ✓       |
| MEDIAN()         |      |      |               | ✓      | ✓       |
| DEVIATION()      |      |      |               | ✓      | ✓       |
| VARIANCE()       |      |      |               | ✓      | ✓       |

#### 4.1.13.3 Formula variables

With a formula variable, you calculate values in a column according to an entered formula. The following operators and operands are available:

- +, -, /, \* and ( and )
- Numbers
- Other variables of the *Number* type within the table. You address the variables as follows: *{Name of the variable}*. Then the value of the variable is copied from the same row into the formula. Note Example 1 below.
- The following summaries for other columns. Note Example 2 below:
  - SUM(): sum of all numbers in the column
  - AVERAGE(): arithmetic mean of all numbers in the column
  - MAX(): highest value in the column
  - MIN(): lowest value in the column
  - COUNT(): number of values in the column
  - MEDIAN(): Median of the values in the column

- DEVIATION(): Deviation, rounded to two decimal places
- VARIANCE(): Variance, rounded to two decimal places
- Mathematical operations and constants according to the following [Library](#); note Example 3 below.

### Example 1


A table is to be used to enter visitor data for events, categorized by visitors over 18 years of age, visitors under 18 years of age, and visitors who participated in the event online. For this you need the average in the respective category over all events.

Additionally you want to calculate the following values:

- Total number of visitors
- Percentage of online visitors

For these values, you also want to know the average across all events.

Implementation: Create a variable with the *Convenience table* type on the job type datasheet Add the following column variables to the table:




- Event: simple text field, summary function: COUNT() to get the total number of events.
- Visitors U18: simple number field to enter the number of visitors over 18 years old, summary function: AVERAGE()
- Visitors U18: simple number field to enter the number of visitors over 18 years old, summary function: AVERAGE()


- Visitors online: simple number field to enter the number of visitors who participated online; summary function: AVERAGE()

These fields are edited for each event by the user on the datasheet. To calculate the other values, create two formula variables in the convenience table:

- Total number of visitors: The formula is  $\{Visitors\ O18\} + \{Visitors\ U18\} + \{Visitors\ online\}$   
The formula adds up the entered values in the number fields for each event in the respective row. Note that the names in the curly brackets must correspond to the names of the number field variables described above.



- Share Online: The formula is  $(100 * \{Visitors\ Online\}) / (\{Visitors\ Online\} + \{Visitors\ O18\} + \{Visitors\ U18\})$ .



The following screenshot displays how a correspondingly filled table is displayed on the datasheet.




| Visitor Data           |                   |                   |                 |                          |                   |  |
|------------------------|-------------------|-------------------|-----------------|--------------------------|-------------------|--|
| + ADD RECORD    REMOVE |                   |                   |                 |                          |                   |  |
| EVENT                  | VISITORS 18 YEARS | VISITORS UNDER 18 | VISITORS ONLINE | TOTAL NUMBER OF VISITORS | PERCENTAGE ONLINE |  |
| Event A                | 20                | 5                 | 25              | 50                       | 50                |  |
| Event B                | 18                | 4                 | 15              | 37                       | 41                |  |
| Event C                | 12                | 12                | 12              | 36                       | 33                |  |
| Event D                | 17                | 7                 | 20              | 44                       | 45                |  |
| Event E                | 17                | 5                 | 21              | 43                       | 49                |  |
| Event F                | 14                | 6                 | 18              | 38                       | 47                |  |
| Event G                | 7                 | 3                 | 20              | 30                       | 67                |  |
| <b>Total: 7.00</b>     | <b>15</b>         | <b>6</b>          | <b>19</b>       | <b>40</b>                | <b>47</b>         |  |

In this case, the user only fills in the first four columns. The last two columns are calculated automatically.

### Example 2

You want to compile and evaluate the number of distributed advertising media in a table.

Implementation: Create a variable with the *Convenience table* type on the job type datasheet Add the following column variables to the table:



- Advertising media: Simple text field, without summary function
- Number: Simple number field to enter the number of ad media, summary function: SUM()

These fields are edited for each ad media by the user on the datasheet. To calculate the percentage, create a formula variable in the convenience table:

- Ratio: The formula is  $\{Number\} * 100 / \text{SUM}(\{Number\})$   
The formula takes the entered number of the ad media in the respective row and calculates the share of the sum of all values entered in the Number column. The result is given with one decimal place.

### Example 3

With the following [Library](#) you can insert mathematical functions and constants in the formulas. You can insert the functions and constants into the formulas as follows:

- Example Pi: You want to multiply a value from the *Diameter* column by Pi. The entry in the formula line is: `Math.PI{Diameter}`
- Example Powers: You want to take the square root of the sum of two column values: `Math.pow({column A}+{column B}, 0.5)`

#### 4.1.13.4 Grid Parameters

The following parameters are provided when you create or change the variables:

| Name   | Description   |
|--|---|
| <p><i>Unique name</i></p> <p><i>Technical Name</i></p> | <p><b>Note:</b> this is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See chapter 1.1.</p>   |
| <p><i>Display Name</i></p>                             | <p>Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required. You can create required language versions.</p> <p>See chapter 1.1.</p> |

| Name                                      | Description  |
|---|--|
| <i>Prefill from parent</i>                | <p>Activate this checkbox if you want the table to be filled by a table in a higher-level job or data object.</p> <p>The user can edit the table in the child job or child data object and delete and add data records. The user can also refresh the data filled by the parent element. All changes are lost in this case.</p> <p><b>Note:</b> For a successful inheritance, the parent and child tables must have an identical technical name.</p> |
| <i>Help text</i>                          | Enter the help text that can be displayed for a user. You can create required language versions.   |
| <input type="button" value="Create new"/> | You can add an additional variable to the grid.  |
| <i>Variables</i>                          | <p>Your selected variables are listed in the <i>Variables</i> area. You can:</p> <ul style="list-style-type: none"> <li>• Change the order of the variables.</li> <li>• Open a variable for editing.</li> <li>• Copy a variable.</li> <li>• Delete a variable and remove it from the table.</li> </ul> <p>For a description of the parameters for the various table variables, see the following chapter 4.1.13.5.</p>                               |

#### 4.1.13.5 Grid Variables

##### *Single inputline variable*

| Name  | Description   |
|---|---|
| <i>Unique name</i><br><i>Technical Name</i> | <p><b>Note:</b> this is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See chapter 1.1.</p> |
| <i>Display Name</i>                         | Define the name with which the variable is displayed in the table. You can create required language versions.   |
| <i>Help text</i>                            | Enter the help text that can be displayed for a user. You can create required language versions.  |
| <i>Default value</i>                        | Enter a default value.  |
| <i>Summary</i>                              | <p>Enter a designation in the left field.</p> <p>Select a function for the summary in the right field, see chapter 4.1.13.2.</p>                      |

**Date picker variable**

| Name  | Description  |
|---|--|
| <i>Unique name</i><br><i>Technical Name</i> | <b>Note:</b> this is visible only if the variable is changed. Neither fields are visible when you create the variable.<br><br>See chapter 1.1. |
| <i>Display Name</i>                         | Define the name with which the variable is displayed in the table. You can create required language versions.                                  |
| <i>Help text</i>                            | Enter the help text that can be displayed for a user. You can create required language versions.   |
| <i>Summary</i>                              | Enter a designation in the left field.<br><br>Select a function for the summary in the right field, see chapter 4.1.13.2.                      |

**Single select variable**

| Name  | Description   |
|---|---|
| <i>Unique name</i><br><i>Technical Name</i> | <b>Note:</b> this is visible only if the variable is changed. Neither fields are visible when you create the variable.<br><br>See chapter 1.1.  |
| <i>Display Name</i>                         | Define the name with which the variable is displayed in the table. You can create required language versions.   |
| <i>Source</i>                               | Choose a custom structure as source for the dropdown list.  |
| <i>Dependent on parent selection</i>        | <b>Note:</b> Only visible if a single selection has already been created in the table, which is linked to the custom structure superior to the data source.<br><br>Activate the checkbox if the display of the selections in this field depends on the setting in another selection field, for example the display of street names on the selection of a town in another selection field. |
| <i>Parent selection</i>                     | <b>Note:</b> This is visible only if the <i>Dependent on parent selection</i> checkbox is activated.<br><br>Select the parent field containing the setting that the displayed values of the selection depend on.  |
| <i>Help text</i>                            | Enter the help text that can be displayed for a user. You can create required language versions.  |
| <i>Default value</i>                        | Select a default value.   |
| <i>Summary</i>                              | Enter a designation in the left field.<br><br>Select a function for the summary in the right field, see chapter 4.1.13.2.   |

### Single number field variable

| Name   | Description   |
|--|---|
| <p><i>Unique name</i></p> <p><i>Technical Name</i></p> | <p><b>Note:</b> this is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See chapter 1.1.</p> |
| <i>Display Name</i>                                    | Define the name with which the variable is displayed in the table. You can create required language versions.   |
| <i>Help text</i>                                       | Enter the help text that can be displayed for a user. You can create required language versions.  |
| <i>Default value</i>                                   | Enter a default value.  |
| <i>Summary</i>   | <p>Enter a designation in the left field.</p> <p>Select a function for the summary in the right field, see chapter 4.1.13.2.</p>                      |
| <i>Decimal places</i>                                  | Set the number of decimal places with which the data in the column will be displayed. Possible are 0 to 10 decimal places.                            |

### Formula variable

| Name   | Description   |
|--|---|
| <p><i>Unique name</i></p> <p><i>Technical Name</i></p> | <p><b>Note:</b> this is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See chapter 1.1.</p> |
| <i>Display Name</i>                                    | Define the name with which the variable is displayed in the table. You can create required language versions.   |
| <i>Help text</i>                                       | Enter the help text that can be displayed for a user. You can create required language versions.  |
| <i>Formula</i>   | Enter the formula.  |
| <i>Summary</i>   | <p>Enter a designation in the left field.</p> <p>Select a function for the summary in the right field, see chapter 4.1.13.2.</p>                      |
| <i>Decimal places</i>                                  | Set the number of decimal places with which the data in the column will be displayed. Possible are 0 to 10 decimal places.                            |

### 4.1.14 Heading

Use a *Headline Text* to name the sections of a data sheet and structure the placed variables, for example.

The following parameters are provided when you create or change the variables:

| Name   | Description  |
|--|--|
| <p><i>Unique name</i></p> <p><i>Technical Name</i></p> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See Display, technical, and unique name see page 8.</p>   |
| <p><i>Text</i></p>                                     | <p>This displays the title used to display the headline text on the data sheet. You can create any language versions that are required.</p> <p>The text is used as the display name in the system; see Display, technical, and unique name see page 8.</p>   |
| <p><i>Visibility</i></p>                               | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the field only after a user has selected a specific value for a different selection field on the data sheet.</p> |
| <p><i>Variable</i></p>                                 | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the dropdown list upon whose value you want to make the visibility dependent.</p>  |
| <p><i>Value</i></p>                                    | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>  |

**Headline - Select a media object** Select media object:

Use a description field to provide additional information.  
Please select a media object **or a locally stored image from the right column**

Datepicker:

Datepicker with time:  :  time

### 4.1.15 Reference/Relation

Use a *Relation* to link data sheets to each other. For example, users select a job from a selection list. Users can then open the relevant datasheet directly from the displayed link.

#### Prerequisites:

- You require at least one type that you can reference.

The following parameters are provided when you create or change the variables:

| Name  | Description   |
|---|---|
| <i>Unique name</i><br><i>Technical Name</i> | <b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.<br><br>See Display, technical, and unique name see page 8.   |
| <i>Name displayed</i>                       | Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.<br><br>See Display, technical, and unique name see page 8.  |
| <i>Type spanning</i>                        | Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.<br><br>See Grouping variables see page 34.   |
| <i>Module*</i>                              | This selects the module containing the types to which you want to make the reference.   |
| <i>Help text</i>                            | Enter the help text that can be displayed for a user.   |
| <i>Shared value</i>                         | <b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).<br><br><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!<br><br>Activate the checkbox if you want the variable value to receive the same value in each localized data object version. |
| <i>Type</i>                                 | All of the types that are available based on the module that you selected are displayed. You can select the types that you want to reference.   |
| <i>Visibility</i>                           | <b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.<br><br>Activate the checkbox <i>Visibility is depending on another variable</i> to display the variable only after a user has selected a specific value for a different selection field on the data sheet.  |

| Name      | Description   |
|-----------|---|
| Variable* | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the dropdown list upon whose value you want to make the visibility dependent.</p> |
| Value*    | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>               |

Relation:

Checkbox Multi-Selection:

- Baden-Baden
- Karlsruhe
- Oberbingen

Multi-Selection Selection

- Bett Lara (P-10)
- Couchtisch Lulu (P-5)
- Dekokissen (P-11)
- Glaszaubertisch (P-3)
- Hocker (P-26)
- Kissen BEN (P-24)
- Kissenträume (P-8)
- Lampe Lichtspiel (P-15)
- Lavalampe (P-13)
- Lichterspaß (P-16)

Box:

Document Selector:

Page 1 of 2

Multiple values inputlines:



### 4.1.16 BTB Template

Use a *BTB Template* variable to add a template from *Brand Template Builder* module to the data sheet. You can link the text boxes from the template to the variables on the data sheet to fill the corresponding text boxes automatically when editing the documents. Choose *Edit document* to open the document. If the values of the variables linked to the text boxes have been changed, a separate dialog box is displayed in which you can decide which content elements from the document are to be updated.

**Note:** A *BTB template* can be placed only on a one-column data sheet layout. To edit a document, you must have the corresponding rights.

The following parameters are provided when you create or change the variables:

| Name  | Description   |
|---|---|
| <i>Unique name</i><br><i>Technical Name</i> | <b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.<br><br>See Display, technical, and unique name see page 8.   |
| <i>Display name*</i>                        | Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.<br><br>See Display, technical, and unique name see page 8.  |
| <i>Type spanning</i>                        | Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.<br><br>See Grouping variables see page 34.   |
| <i>Template ID*</i>                         | Enter the ID number (excluding T-) for the template that you want to use.   |
| <i>Help text</i>                            | Enter the help text that can be displayed for a user.   |
| <i>Shared value</i>                         | <b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).<br><br><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!<br><br>Activate the checkbox if you want the variable value to receive the same value in each localized data object version. |
| <i>Inherit from parent</i>                  | <b>Note:</b> This is visible only if the type permits inheritance ( <i>Inheritance</i> dropdown list = <i>Multiple parents</i> ).<br><br>Activate this checkbox if you want the data record to adopt the values of a parent job or data object as a sub-job or sub data object.<br><br><b>Note:</b> The variables must have identical display names.  |

| Name                      | Description   |
|---------------------------|---|
| Preview                   | As soon as you enter a valid ID for a template, a preview of the template is displayed.   |
| Assign variables to boxes | You can assign a data sheet variable to the text boxes of the template that is in use.  |
| Visibility                | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the variable only after a user has selected a specific value for a different selection field on the data sheet.</p> |
| Variable*                 | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the dropdown list upon whose value you want to make the visibility dependent.</p>   |
| Value*                    | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>   |

**Note:** As soon as a new Web-to-Publish document is created, a preview of the created document is displayed from the data sheet.



### 4.1.17 Numbers

Use the *Numbers* variable to make an input field for numbers available to users on the data sheet.

The following parameters are provided when you create or change the variables:

| Name   | Description  |
|--|--|
| <p><i>Unique name</i></p> <p><i>Technical Name</i></p> | <p><b>Note:</b> This is visible only if the variable is changed. Neither fields are visible when you create the variable.</p> <p>See Display, technical, and unique name see page 8.</p>   |
| <p><i>Name displayed</i></p>                           | <p>Define the name with which the variable is displayed on the data sheet. You can create any language versions that are required.</p> <p>See Display, technical, and unique name see page 8.</p>  |
| <p><i>Type spanning</i></p>                            | <p>Select this checkbox to display variables with an identical technical name and identical variable type in one column in the filter view.</p> <p>See Grouping variables see page 34.</p>   |
| <p><i>Help text</i></p>                                | <p>Enter the help text that can be displayed for a user.</p>   |
| <p><i>Use Unit</i></p>                                 | <p>Select this checkbox to add a unit to the field.</p>  |
| <p><i>Shared value</i></p>                             | <p><b>Note:</b> This is visible only if the type is a data object type and localization is enabled (see Localization see page 13).</p> <p><b>Note:</b> Note that the variable can be selected as language-neutral only while you create it. The <i>Shared value</i> field cannot be changed at a later stage!</p> <p>Activate the checkbox if you want the variable value to receive the same value in each localized data object version.</p> |
| <p><i>Unit of measure</i></p>                          | <p><b>Note:</b> This is visible only if the <i>Use Unit</i> checkbox is activated.</p> <p>You can select whether a unit for <i>Length</i> or <i>Weight</i> is displayed.</p>   |
| <p><i>Default unit</i></p>                             | <p><b>Note:</b> This is visible only if the <i>Use Unit</i> checkbox is activated.</p> <p>You can define a default entry for the unit of measure, such as centimeter (cm) or kilogram (kg).</p>  |
| <p><i>Inherit from parent</i></p>                      | <p><b>Note:</b> This is visible only if the type permits inheritance (<i>Inheritance</i> dropdown list = <code>Multiple parents</code>).</p> <p>Activate this checkbox if you want the data record to adopt the values of a parent job or data object as a sub-job or sub data object.</p> <p><b>Note:</b> The variables must have identical display names.</p>  |

| Name              | Description   |
|-------------------|---|
| <i>Visibility</i> | <p><b>Note:</b> This is visible only if a single-select or multi-select is already created for the type.</p> <p>Activate the checkbox <i>Visibility is depending on another variable</i> to display the variable only after a user has selected a specific value for a different selection field on the data sheet.</p> |
| <i>Variable</i>   | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can choose the dropdown list upon whose value you want to make the visibility dependent.</p>   |
| <i>Value</i>      | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p>   |

Field for numerical input:  mm

Available information:

Unit

Another field for numerical input:  mm

Available information:

Unit

## 4.2 System variables

When you create a new type, variables are created and placed on the data sheet automatically. Absolutely vital system variables include:

- Job/data object name
- Job/data object type
- Workflow

Other system variables can be removed from the data sheet but cannot be deleted.

**Note:** The technical names of the system variables are used in the list. There may be a different name in the *Display name* field.

| Technical Name         | Variable type/Description   |
|------------------------|---|
| WorkflowTiming         | Workflow timings: This variable is used to displayed the start date, duration and due date of the current workflow step.  |
| ArticleNumber          | Single inputline: This variable can be used to display an existing item number (for an asset, for example).   |
| Owner                  | Bean property: This variable is used to display the assignee.   |
| Description            | Multiline inputarea: This variable provides an input field. By default, the maximum number of characters is limited to 1000 and the height is defined as 3 lines.     |
| CreateDate             | Datepicker: This variable is used to display the create date.   |
| Creator                | Bean property: This variable is used to display the creator of the job or data object.  |
| Deadline               | Datepicker: This variable is used to make a date field available for the due date.  |
| CurrentStepOverdueDate | Dynamic date: This variable is used to display the time (number of days) since the job or data object has been in a workflow step.                                    |
| WorkflowOverdueDate    | Dynamic date: This variable is used to display the number of days that the job or data object is overdue (in relation to the defined due date for the workflow step). |
| Job/data object name   | Single inputline: This variable is used to provide an input field for the job or data object name.  |
| JobIdFormatted         | Constant variable: This variable is used to display the unique ID of the job or data object.  |

| Technical Name        | Variable type/Description  |
|-----------------------|--|
| JobTypePseudoVariable | Job type: This variable is used to display the job type or data object type that is in use.                                      |
| Comments              | Chat desc from props: This variable is used to make the comment function available.  |
| LastModificationDate  | Datepicker: This variable is used to display the date of the last change.  |
| SubJobs               | Subjobs: This variable is used to make the functions required for sub-jobs or sub data objects available.                        |
| SystemPrice           | Single inputline: This variable can be used to assign fixed or variable prices to the Service item types for the Marketing Shop. |
| default_media         | Asset Selector: This variable is used to make the <i>Default media</i> variable available.                                       |
| CurrentStepStartDate  | Dynamic date: This variable is used to display the start date of the current workflow step.                                      |
| JobState              | Bean property: This variable is used to display the current workflow step.   |
| TaskManager           | Task Manager: This variable is used to make the functions for the Task Manager available; see Task Manager see page 117.         |
| Themes                | Description text: This variable can be used to assign one or more themes to the job or data object.                              |
| WorkflowObjectId      | Workflow: This variable is used to display the workflow that is in use.  |
| WorkflowStartDate     | Dynamic date: This variable is used to display the start date of the workflow.   |

## 4.2.1 Task Manager

You can use tasks to plan and subdivide jobs or data objects in more detail. You can use the *Task Manager* and:

- Create the appropriate tasks for the workflow steps automatically using task templates.
- Enter the planned time required for a task.
- Post the actual time required for a task.
- Define the start and end date for the tasks and the assigned workflow steps.
- Assign individual tasks to a user for processing.

**Note:** The variable for the Task Manager is created by default. To use this function, you must place the Task Manager on a one-column data sheet layout. Note that it is not possible to schedule individual workflow steps if the Task Manager is in use. The start and end date of the workflow steps and tasks are then provided from the Task Manager.

When you create or configure the *Task Manager*, you define:

| Name                          | Description  |
|-------------------------------|--|
| Unique name, technical name   | See Display, technical, and unique name see page 8.  |
| <i>Name displayed</i>         | Define the name with which the Task Manager is displayed on the data sheet.<br><br>See Display, technical, and unique name see page 8.   |
| <i>Include weekends</i>       | Activate this checkbox to take weekends into account for the automatic recalculation of dates.   |
| <i>Help text</i>              | Enter the help text that can be displayed for a user.  |
| <i>Default Task Templates</i> | Select a task template that is suitable for the workflow. When you create a job, the individual task steps for the assigned task are created automatically.<br><br><b>Note:</b> To use a task template together with a workflow, the number of task steps must be identical to the number of workflow steps. |
| <i>Visibility</i>             | Activate the checkbox <i>Visibility is depending on another variable</i> to display the variable only after a user has selected a specific value for a different selection field on the data sheet.  |
| <i>Variable*</i>              | <b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.<br><br>You can choose the selection field upon whose value you want to make the visibility dependent.   |

| Name   | Description   |
|--------|---|
| Value* | <p><b>Note:</b> This is visible only if the checkbox <i>Visibility is depending on another variable</i> is activated.</p> <p>You can specify which value must be selected in order to display the variable.</p> |

| ADD TASKS  |            | DELETE TASKS |  | CHANGE STATUS |  | MENU                 |  |  |  | PLANNED | ACTUAL | REMAINING |   |
|--|------------|--------------|--|---------------|--|----------------------|--|--|--|---------|--------|-----------|---|
| NAME   | START      |              |  |               |  |                      |  |  |  |         |        |           |   |
| Basic Tasks  |            |              |  |               |  |                      |  |  |  |         |        |           |   |
| Second   |            |              |  |               |  |                      |  |  |  |         |        |           |   |
| <input checked="" type="checkbox"/> <b>Image Creation</b>            | 07/01/2019 |              |  |               |  |                      |  |  |  | 20:00   | 10:30  | 09:30     | ⊙ |
| Erstellen der Bilder   |            |              |  |               |  |                      |  |  |  |         |        |           |   |
| <input checked="" type="checkbox"/> <b>Upload Bilder</b>             | 07/01/2019 | 07/31/2019   |  |               |  | John User            |  |  |  | 01:00   | 00:00  | 01:00     | ⊙ |
| Bereitstellen im Media Pool  |            |              |  |               |  |                      |  |  |  |         |        |           |   |
| <input checked="" type="checkbox"/> <b>Auswahl Bilder</b>            | 12/16/2018 | 12/18/2018   |  |               |  | John Doe, John Admin |  |  |  | 02:00   | 00:00  | 02:00     | ⊙ |
| Abstimmung mit Vertrieb  |            |              |  |               |  |                      |  |  |  |         |        |           |   |
| <input checked="" type="checkbox"/> <b>Abstimmung Review Manager</b> |            |              |  |               |  | John Doe             |  |  |  |         | 00:00  | 00:00     | ⊙ |
| Enter task description here  |            |              |  |               |  |                      |  |  |  |         |        |           |   |